PIXMA TS6350 series

A REFINED MULTITASKER

A stylish design, 5 single inks and intuitive LED status bar make PIXMA TS6350 Series a hardworking tool. Achieve flawless photos with FINE technology and ChromaLife 100 ink, or print sharp document text with a dedicated pigment black ink.







• Designed to make life easy

Smart design foregrounds flexibility thanks to an intuitive LED status bar, 5 individual inks, 2-way paper feed and auto expandable output tray

Quality documents and photos

The PIXMA TS6350 Series's high-quality photos will last and last thanks to ChromaLife 100 inks, while the dedicated pigment black ink delivers crisp documents with sharp text

Creative options

Unleash your creativity with the Easy-PhotoPrint Editor and the craft projects of Creative Park, teamed up with double-sided matte, iron-on transfers, restickable, square and magnetic media

Smart connectivity

Wirelessly print, copy, scan and access the cloud* with the Canon PRINT app or print via AirPrint (iOS) and Mopria (Android)

· You're in control

Enjoy fast set-up in with intuitive controls via a 1.44" OLED display and get connected at the push of a button with Wireless Connect











PRODUCT RANGE



PIXMA TS6350 series





PIXMA TS8350 series



PIXMA TS5350 series



^{*} Scan to cloud and email only available for genuine Canon ink users

TECHNICAL SPECIFICATIONS

PIXMA TS6350 series

GENERAL SPECIFICATIONS

Model Numbers

Functions

PRINTER SPECIFICATIONS Print Resolution

Print Technology

Mono Print Speed Colour Print Speed Photo Print Speed

Borderless Printing Two Sided Printina

CARTRIDGES AND YIELDS Standard Ink Cartridges

Optional XL Ink Cartridges

Optional XXL Ink Cartridges

Cartridge Yield (Plain paper)

Cartridge Yield (Photo print)

PIXMA TS6350 (BLACK) PIXMA TS6351 (WHITE)^[8]

Wireless, Print, Copy, Scan, Cloud Link

Up to 4800 [1] x 1200 dpi

5 Individual Ink Tanks (PGBK, BK, C, M, Y)

ChromaLife 100 inks Approx. 15.0 ipm [2] Approx. 10.0 ipm [2]

Borderless 10x15cm: Approx. 21 seconds [2] Yes (A4, Letter, 20x25cm, 13x18cm, 10x15cm,

13x13cm, 8.9x8.9cm)

Auto Duplex Print (A4, A5, B5, Letter - plain paper)

5 individual ink tanks PGI-580PGBK (Pigment Black)

CLI-581BK (Black) CLI-581C (Cyan) CLI-581M (Magenta) CLI-581Y (Yellow) High yield XL ink tanks

PGI-580PGBK XL (Pigment Black) CLI-581BK XL (Black)

CLI-581C XL (Cyan) CLI-581M XL (Magenta) CLI-581Y XL (Yellow)

High yield XXL ink tanks PGI-580PGBK XXL (Pigment Black) CLI-581BK XXL (Black) CLI-581C XXL (Cyan)

CLI-581M XXL (Magenta) CLI-581Y XXL (Yellow) A4 Colour Document [3] Pigment Black: 200 pages Pigment Black XL: 400 pages

Pigment Black XXL: 600 pages Black: 1505* pages Black XL: 3120* pages Black XXL: 6360* pages Cyan: 256 pages Cyan XL: 515 pages Cyan XXL: 820 pages Magenta: 237 pages Magenta XL: 474 pages Magenta XXL: 760 pages Yellow: 257 pages Yellow XL: 514 pages Yellow XXL: 824 page

* Estimated supplemental yield 10x15cm photo [3]

Pigment Black: 1448* photos Pigment Black XL: 3373* photos Pigment Black XXL: 5500* photos Black: 231* photos

Black XL: 520* photos Black XXL: 858* photos Cyan: 83 photos Cyan XL: 170 photos Cyan XXL: 282 photos Magenta: 108 photos Magenta XL: 225 photos Magenta XXL: 367 photos Yellow: 99 photos Yellow XL: 199 photos Yellow XXL: 322 photos

Estimated supplemental yield

PAPER SUPPORT Paper Types

Paper Sizes

Plain Paper

Canon High Resolution Paper (HR-101N) Canon Pro Platinum (PT-101)

Canon Plus Glossy II (PP-201) Canon Pro Luster (LU-101) Canon Plus Semi-gloss (SG-201) Canon "Everyday Use" (GP-501) Canon Matte (MP-101)

Envelopes

Removable Photo Stickers (RP-101)
Magnetic Photo Paper (MG-101) Double sided Matte (MP-101D) Light Fabric Iron-on transfers (LF-101) Dark Fabric Iron-on transfers (DF-101)

Maximum Paper Input Rear Tray: Max. 20 sheets (photo paper) or Max. 100

sheets (plain paper)

Front Cassette: Max. 100 sheets (plain paper)

Rear Tray: A4/A5/B5/LTR/LGL/20x25cm/13x18cm/10x15cm/13x1

3cm/8.9x8.9cm, Envelopes(DL,COM10) [Custom size] width 55mm - 215.9 mm,

length 89mm - 676mm

Front Cassette: A4, A5, B5, LTR [Custom size] width 148.0 mm - 215.9 mm,

length 210mm - 297mm

Paper Weiaht Rear Tray: Plain paper 64 - $105\,\mathrm{g/m^2}$, Canon photo paper up to $300\,\mathrm{g/m^2}$

Front Cassette: Plain Paper: 64-105 g/m²

SCANNER SPECIFICATIONS

Scanner Type Scanner Resolution (Optical) Scanning Depth (Input /

Output) Maximum Document Size

COPIER SPECIFICATIONS

Copy Speed

Multiple Copy Copy Functions

Copy Zoom

INTERFACE Display Type & Size Display Languages

Interface Type - PC / Mac

Interface Type - Other

CIS flatbed photo and document scanner

1200 x 2400 dpi [Colour: RGB each 16bit/8bit Greyscale: 16 bit / 8 bit

216 x 297 mm

sFCOT: Approx. 19 sec [5] sESAT: Approx. 6.5ipm

max. 99 pages

Document Copying, Photo Copying, 2-sided copy,

2-on-1 25 - 400% (in 1% increments)

OLED (1.44 inch)

33 Languages Selectable: Japanese/English(mm & inch)/German/French/Italian/Spanish/Dutch/ Portuguese/Norwegian/Swedish/Danish/Finnish/

Russian/Czech/Hungarian/Polish/Slovene/Turkish/ Greek/Simplified Chinese/Traditional Chinese/Korean/Indonesian/Slovakian/Estonian/

Latvian/Lithuanian/Ukrainian/Romanian/ Bulgarian/Thai/Croatian/Vietnamese Hi-Speed USB (B Port)

Wi-Fi: IEEE802.11 b/g/n Wi-Fi Security: WPA-PSK, WPA2-PSK, WEP, Administration password

Wireless LAN Frequency Band: 2.4GHz Canon PRINT Inkjet/SELPHY app

Easy-PhotoPrint Editor

Bluetooth Message In Print app PIXMA Cloud Link

Canon Print Service Plugin (Android) Google Cloud Print

Apple AirPrint Wireless Direct Access Point Mode WLAN PictBridge Mopria (Android)



TECHNICAL SPECIFICATIONS

PIXMA TS6350 series

SOFTWARE

Supported Operating Systems

Supported Mobile Systems Minimum System Requirements

Software Included

PHYSICAL FEATURES Weight Dimensions (W x D x H) Acoustic Noise Levels Recommended Operating Power Consumption

Windows 10, Windows 8.1, Windows 7 SP1 Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. OS X 10.11.6, macOS 10.12~macOS 10.14

iOS, Android, Windows 10 Mobile

Windows: 2.0GB or more Mac: 1.0GB or more

Note: for bundled software installation. The necessary amount of hard disk space required.

Display: 1024 x 768 XGA

MP Driver including Scanning Utility Easy-PhotoPrint Editor (download)

approx. 6.3 kg

approx. 376 x 359 x 141 mm approx. 44.5dB(A) [6] Temperature: 15-30°C

Humidity: 10-80%RH (no dew condensation)

AC 100-240V, 50/60Hz Off: Approx. 0.3W

Standby (connected to PC via USB): Approx. 0.9W (scanning lamp off)

Standby (all ports connected): Approx. 1.6W

(scanning lamp is off)

Time to enter Standby mode: 10min 56sec Copying: Approx. 14W [7]

Footnotes

- [1] Ink droplets can be placed with a minimum pitch of 1/4800 inch
- [2] Document print speeds are the averages of ESAT in Office Category Test for the default simplex mode, ISO/IEC 24734.
- Photo print speed is based on the default setting using ISO/JIS-SCID N2 on Photo Paper Plus Glossy II and does not take into account data processing time on host computer.
- [3] Declared yield value in accordance with ISO/IEC 24711 standard. Values obtained by continuous printina.
- [4] Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.
- [5] Copy speeds are the average of sFCOT and sESAT, ISO/IEC 29183. Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time.
- [6] Acoustic Noise is measured based on ISO7779 standard (colour printing) with default setting.
- [7] When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.
- [8] Some colours may not be available in your region.

All specifications subject to change without notice.

Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.

Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For yield information see www.canon-europe.com/ink/yield Scan speed may vary depending on system configuration, interface, software, scan mode settings and document size etc.

Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time

All brand and product names are trademarks of their respective companies.

Microsoft, Windows and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries.

> Canon Inc. canon.com Canon Europe canon-europe.com English edition Canon Europa NV 2019



A REFINED MULTITASKER

PIXMA TS6350 series

A stylish design, 5 single inks and intuitive LED status bar make PIXMA TS6350 Series a hard-working tool. Achieve flawless photos with FINE technology and ChromaLife100 ink, or print sharp document text with a dedicated pigment black ink.

Sales Start Date: Sep 2019



PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code	Recommended Retail Price		
PIXMA T\$6350 EUR BLACK	3774C006AA	4549292144291	<please fill="" in="" rrp=""></please>		
PIXMA TS6351 EUR WHITE	3774C026AA	4549292144345	<please fill="" in="" rrp=""></please>		

CONSUMABLES:

Product Name	Mercury Code	EAN Code	Recommended Retail Price		
PGI-580 PGBK	2078C001AA	4549292087062	<please fill="" in="" rrp=""></please>		
CLI-581 BK	2106C001AA	4549292087079	<please fill="" in="" rrp=""></please>		
CLI-581 C	2103C001AA	4549292087086	<please fill="" in="" rrp=""></please>		
CLI-581 M	2104C001AA	4549292087093	<please fill="" in="" rrp=""></please>		
CLI-581 Y	2105C001AA	4549292087116	<please fill="" in="" rrp=""></please>		
PGI-580XL PGBK	2024C004AA	8714574652115	<please fill="" in="" rrp=""></please>		
CLI-581XL BK	2052C005AA	8714574652139	<please fill="" in="" rrp=""></please>		
CLI-581XL C	2049C004AA	8714574652146	<please fill="" in="" rrp=""></please>		
CLI-581XL M	2050C004AA	8714574652153	<please fill="" in="" rrp=""></please>		
CLI-581XL Y	2051C004AA	8714574652238	<please fill="" in="" rrp=""></please>		
PGI-580XXL PGBK	1970C004AA	8714574652245	<please fill="" in="" rrp=""></please>		
CLI-581XXL BK	1998C001AA	4549292086874	<please fill="" in="" rrp=""></please>		
CLI-581XXL C	1995C001AA	4549292086898	<please fill="" in="" rrp=""></please>		
CLI-581XXL M	1996C001AA	4549292086928	<please fill="" in="" rrp=""></please>		
CLI-581XXL Y	1997C001AA	4549292086959	<please fill="" in="" rrp=""></please>		



A REFINED MULTITASKER

PIXMA TS6350 series

A stylish design, 5 single inks and intuitive LED status bar make PIXMA TS6350 Series a hard-working tool. Achieve flawless photos with FINE technology and ChromaLife100 ink, or print sharp document text with a dedicated pigment black ink.



MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Mercury Code	Pack type	Pack description	Quantity per pack	Length (mm)	Width (mm)	Height (mm)	Gross Weight (kg)	Net Weight (kg)
PIXMA TS6350 EUR BLACK	3774C006AA	EA	Individual	1	450	216	486.5	8.46	TBC
PIXMA TS6351 EUR WHITE	3774C026AA		Pallet (Upper)	20	910.5	1090.5	977.5	170.34	TBC
			Pallet (Bottom)	30	910.5	1090.5	1467	255.26	TBC

What's in the box?

- All-in-one printer PIXMA TS6350 Series
- Set-up ink tanks
- · Power cord
- Set-up CD-ROM
- Manuals and other documents

Canon