



Wireless network discovery, setup, monitoring and management can now be done from anywhere and any screen with NETGEAR Insight app or Cloud Portal.

Reliable wireless connectivity for employees and customers is a requirement for any business today. All devices are now connected, all users are mobile and "WiFi everywhere" is commonplace. Business owners are often too busy to handle this and need WiFi that just works!

Introducing one-touch wireless visibility & management

NETGEAR introduces the new IT revolution for small businesses with remote visibility and control with NETGEAR Insight management solution. Experience easy set-up, remote management and full control of your wireless network. With 20 years of experience in small & medium business networking, NETGEAR is now delivering wireless connectivity that "just works" at your fingertips.

NETGEAR Insight also enables multidevice configuration of your NETGEAR Insight Managed wireless access points, either locally or remotely. It provides network management, monitoring and service deployment across multiple remote and local sites for the easiest and most user-friendly wireless networking experience. Anywhere management also includes Insight Managed switches and Business-Class ReadyNAS on top of Insight Managed Wireless Access points, enabling whole network visibility and management.

Insight app also allows you discover select wired and wireless devices from your local or remote network.

Business Features for higher speed, greater coverage and higher density WiFi

- Business class WiFi with superior Wave 2 802.11ac performance and range
- 2x2 with 2 streams of data (2.4Ghz and 5Ghz) for an aggregate throughput of up to 1.3Gbps
- Multi-User Multiple In Multiple Out (MU-MIMO) avoids congestion and ensures performance in high client density deployments like public WiFi hotspots
- One PoE port (WAN port) on both models for ease of deployment.
- One-touch network visibility. Anywhere. Remote management and monitoring from NETGEAR Insight app or Cloud Portal for unrivaled management experience of your wireless network.
- App managed. Faster installation through NETGEAR Insight app or Cloud Portal. No additional hardware needed.
- Market leading 5-year warranty with 24x7 chat support for peace of mind



Data Sheet | **WAC505, WAC510** Insight Managed Smart Cloud Wireless Access Points

NETGEAR Insight	😂 1st Avenue 👻 My Devices	🔏 8 Hi John
	Summary Wireless Wired Storage Firmware Devices Clients Traffic	
	Properties System Status	
	12 21 16 Orientific Healthy Access Parts Associated Clients Migus Orientific Healthy Your system is in good health Softward Softward Your system is in good health	
	Wireless - Traffic 2.4 GHz + 5 GHz + O Port Utilization	
	under 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
	• AP1 = AP2 = AP3 = AP4 = AP5 & Toward(4)	
	Notifications	
	Cotability Answers of Same 172 Clothit impacted © Citizati Same 1710 A 6913 MM P Is and Same 1 all-state impacted © Named Same 1711 R 1925 AM Counters IN 15% 35%	
	Seible 4 win down 15 divers impacted ▲ Weining Seit 1013 05 305 AM Duration 16 times 75 divert impacted © Critical Suit 10114 06 305 AM	
	Masage place here -3 clients inpacted O Neural Start 10/13 03 25 AM Duration 3h 15m 30s	
	Wind Data Consu	
	O Switch Traffic Utilization	
	me respective respective e-dependen 1-dependen e-dependen E-dependen 1-dependen 3-dependen	



Wireless Usage

Cloud Portal dashboard



Example Application



WAC510 Deployment Scenario



NETGEAR[®] BUSINESS

Data Sheet | **WAC505, WAC510** Insight Managed Smart Cloud Wireless Access Points

Des deut Commit	WACEAE	MACEAO	14/4 0700	MA 6700	14/4 67 49
Product Comparison	WAC505	WAC510	WAC720	WAC730	WAC740
Frequency	2.4GHz and 5GHz	2.4GHz and 5GHz	2.4GHz and 5GHz	2.4GHz and 5GHz	2.4GHz and 5GHz
Wireless Mode (Transmit x Receive)	802.11ac (2x2)	802.11ac (2x2)	802.11ac (2x2)	802.11ac (3x3)	802.11ac (4x4)
802.11ac Wave	Wave 2	Wave 2	Wave 1	Wave 1	Wave 2
Multi-User MIMO	Yes	Yes	No	No	Yes
Maximum Theoretical Throughput	1.2Gbps AC1200	1.3Gbps AC1300	1.2Gbps AC1200	1.7Gbps AC1700	2.3Gbps AC2300
Maximum Throughput (2.4/5GHz)	300/867Mbps (2.4/5GHz)	400/867Mbps (2.4/5GHz)	300/867Mbps (2.4/5GHz)	450/1300Mbps (2.4/5GHz)	600/1700Mbps (2.4/5GHz)
Power over Ethernet (PoE) IEEE 802.3af	Yes	Yes	Yes	Yes	Yes, PoE+
PoE Power Consumption	8.9 Watts	9.3 Watts	11.0 Watts	12.9 Watts	17.9 Watts
Centralized Management	Insight App, Standalone	Insight App, Standalone	Quad Mode Management (Standalone, Ensemble™, Controller, and Business Central)	Quad Mode Management (Standalone, Ensemble™, Controller, and Business Central)	Controller
SNMP	v1, v2c	v1, v2c	v1, v2c	v1, v2c	v1, v2c
Secure SSH	Yes	Yes	Yes	Yes	Yes
Secure Socket Layer (SSL)	Yes	Yes	Yes	Yes	Yes
Router Mode	No	Yes	No	No	No
Wireless Distribution System (WDS)					
Repeater	Yes	Yes	Yes	Yes	No
Bridge point-to-point/multi-point	Yes	Yes	Yes	Yes	No
Simultaneous bridge & wireless client association	Yes	Yes	Yes	Yes	No
Antenna	Internal 3/4dBi (2.4/5GHz)	Internal 3/4dBi (2.4/5GHz)	Internal 5/6dBi (2.4/5GHz) Three (3) External reverse SMA connectors for 2.4/5GHz antennas	Internal 5/6dBi (2.4/5GHz) Two (2) External reverse SMA connectors for 2.4/5GHz antennas	Internal 5/6dBi (2.4/5GHz) four (4) External reverse SMA connectors for 2.4/5GHz antennas
Security					
WiFi Protected Access (WPA/WPA2), 802.11i	Yes	Yes	Yes	Yes	Yes
MAC address filtering with access control	Yes	Yes	Yes	Yes	Yes
802.1x RADIUS support with EAP TLS, TTLS, PEAP	Yes	Yes	Yes	Yes	Yes
Rogue AP detection	Yes	Yes	Yes	Yes	Yes
Block SSID Broadcast	Yes	Yes	Yes	Yes	Yes
VLAN Support	Yes	Yes	Yes	Yes	Yes
Guest Network/Captive Portal	Yes	Yes	Yes	Yes	Yes
Accepts external antennas	No	No	Yes	Yes	Yes
Easy ceiling mounting/wall mouting	Yes	Yes	Yes	Yes	Yes
Bandwidth management	Yes	Yes	Yes	Yes	Yes
Bonjour Gateway	No	No	Yes	Yes	Yes
Link Layer Discovery Protocol	Yes	Yes	Yes	Yes	Yes
Bandsteering	Yes	Yes	Yes	Yes	Yes



Technical Specifications

Standards	WAC505	WAC510			
IEEE 802.11ac Wave 2 standard	Yes	Yes			
WMM Wireless Multimedia Prioritization	Yes	Yes			
WDS Wireless Distribution System	Yes	Yes			
Power over Ethernet (PoE) IEEE 802.3af	Yes	Yes			
Power over Ethernet (PoE) IEEE 802.3at	Yes	Yes			
Physical Specifications					
Dimensions $W \times D \times H$	175 x 165 x 35 mm (6.89 x 6.49 x 1.38 in)	197.32 x 197.32 x 37mm (7.75 x 7.75 x 1.45in)			
Weight	256 g (0.56 lb)	555.5g (1.22lb)			
Physical Interfaces					
Interface	One 10/100/1000BASE-T Gigabit Ethernet (RJ-45) ports with Auto Uplink™ (Auto MDI-X) supporting IEEE 802.3af or 802.3at Power over Ethernet (PoE)	Two (WAN/LAN) 10/100/1000BASE-T Gigabit Ethernet (RJ-45) ports with Auto Uplink™ (Auto MDI-X) with WAN port supporting IEEE 802.3af or 802.3at Power over Ethernet (PoE)			
Power adapter (not included)	12V DC, 2.5A; plug is localized to country of sale				
LED	Five (5) Power, Link/ACT, LAN, 2.4GHz, 5GHz	Six (6) Power, Link/ACT, LAN1, LAN2, 2.4GHz, 5GHz			
Security					
WiFi Protected Access® (WPA, WPA2)	Yes				
WPA2 Enterprise	Yes, 802.1x	Yes			
Wireless access control to identify authorized wireless network devices	Ye	25			
MAC address authentication	Yes				
Network Management					
NETGEAR Insight App	GEAR Insight App App Management for setup, monitoring and management				
SNMP v1, v2	Yes				
Advanced Wireless					
Wireless Distribution System (WDS)	Bridge mode: Point-to-point wireless Bridge mode: Point-to-multipoint wireless Repeater mode Adjustable Transmit Power Control (TPC) Device detection Identify type of wireless clients in the network				



Technical Specifications

Package Contents	WAC505	WAC510		
	WAC505 Insight Managed Smart Cloud Wireless Access Point Wall/ceiling mount kit Installation guide	WAC510 Insight Managed Smart Cloud Wireless Access Point Wall/ceiling mount kit Installation guide		
Warranty and Support				
Hardware Limited Warranty	5 years	5 years		
Next-Business-Day (NBD) Replacement	5 years	5 years		
Technical support (online, phone)	90 days free from date of purchase*	90 days free from date of purchase*		
ProSUPPORT OnCall 24x7 Service Packs**	PMB0S51 (1 yr) PMB0S31 (3 yrs) PMB0S11 (5 yrs)	PMB0S52 (1 yr) PMB0S32 (3 yrs) PMB0S12 (5 yrs)		
Ordering Information				
WAC505-10000S	Everywhere except US and Canada			
WAC505-100NAS	US and Canada			
WAC505PA-100NAS	WAC505 with power adapter for US an	WAC505 with power adapter for US and Canada		
WAC505B03-10000S	3 pack of WAC505 for everywhere except US and Canada			
WAC505B03-100NAS	3 pack of WAC505 for US and Canada			
WAC505B05-10000S	5 pack of WAC505 for everywhere except US and Canada			
WAC505B05-100NAS	5 pack of WAC505 for US and Canada	5 pack of WAC505 for US and Canada		
WAC510-10000S	Everywhere except US and Canada			
WAC510-100NAS US and Canada				
WAC510PA-100NAS	WAC510 with power adapter for US and	d Canada		
WAC510B03-10000S	3 pack of WAC510 for everywhere except US and Canada			
WAC510B03-100NAS	3 pack of WAC510 for US and Canada			
Power Adapters				
PAV12V-100NAS	US and Canada			
PAV12V-100UKS	UK			
PAV12V-100EUS	Europe except UK			
PAV12V-100PRS	China			
PAV12V-100AUS Australia and New Zealand				

*This product comes with a limited warranty that is valid only if purchased from a NETGEAR authorized reseller, and covers unmodified hardware, fans and internal power supplies - not software or external power supplies, and requires product registration using the Insight mobile app or Insight Cloud portal within 90 days of purchase; see https://www.netgear.com/about/warranty for details. Intended for indoor use only.

**The NETGEAR OnCall 24x7 contract provides unlimited phone, chat and email technical support for your networking product.

NETGEAR and the NETGEAR logo are trademarks and/or registered trademarks of NETGEAR, Inc. and/or its subsidiaries in the United States and/or other countries. Other brand names mentioned herein are for identification purposes only and may be trademarks of their respective holder(s). Information is subject to change without notice. © 2020 NETGEAR, Inc. All rights reserved.