



24P2Q

23.8 inch (60.5 cm) LCD MONITOR

Comfort, praticità e prestazioni in un monitor Full HD da 23,8" con DisplayPort



3 SIDED
FRAMELESS



ADJUSTABLE
STAND




FLICKER FREE



IPS WIDE VIEW



LOW BLUE MODE



USB HUB



TILT



Wide viewing angle

Le funzioni Wide Viewing Angle permettono di vedere colori accurati con angoli di visione fino a 178°. In questo modo, la resa cromatica sarà impeccabile, indipendentemente dalla posizione dell'osservatore.



Design senza cornice

Oltre ad avere un aspetto moderno e accattivante, i design senza cornice consentono configurazioni multi-monitor senza soluzione di continuità. Il cursore/le finestre non si perderanno più nell'abisso scuro delle cornici, quando molti display vengono affiancati l'uno accanto all'altro.



Ergonomici

Immediato senso di comfort! I supporti regolabili in altezza, inclinabili e girevoli vi aiutano a trovare la posizione più comoda e salutare.



Hub USB

Gli hub USB integrati nei monitor AOC assicurano la massima praticità e facilità d'uso quando siete alla scrivania. Le porte laterali sono facilmente raggiungibili anche senza guardare, perciò non dovrete perdere tempo a cercare una porta USB libera sul retro del case di un PC.



Pivot

Le P2 può essere ruotato di 180° per passare dall'orientamento orizzontale a quello verticale, funzione particolarmente utile in certi settori.

General

Model name	24P2Q
EAN	4038986147293
Product Line	Pro-line
Series	P2
Channel	B2B
Classification	Superhero
Section	Business
Launch date	01-07-2020

Screen

Resolution	1920 x 1080
Refresh rate	75 Hz
Screen size (inch)	23.8 inch
Screen size (cm)	60.5 cm
Flat / Curved	No
Backlight	WLED
Panel Type	IPS
Aspect ratio	16:9
Display Colours	16,7 milioni
Panel Colour in Bits	6
sRGB Coverage (%)	107
Adobe RGB Coverage (%)	79
NTSC coverage (%)	72 %
Active Screen Area (HxW)	527.04 (H) X 296.46(V) mm mm
Pixel Pitch	0.2745
Pixels per Inch	92
Scanning Frequency	VGA/DVI/HDMI1.4/DP1.2 : 30 -85KHz (H) VGA/DVI/HDMI1.4/DP1.2 : 48 - 75 Hz (V)
Response time (GtG)	4 ms
Contrast (static)	1000:1
Contrast (dynamic)	50M: 1
Brightness (typical)	250 cd/m²
Viewing angle (CR10)	178/178 °
Hard Glass	Antiglare + 3H
OSD languages	EN, FR , ES, PT, DE, IT, NL, SE, FI, PL ,CZ, RU, KR, CN (T), CN (S), JP

Exterior

Monitor colour	Nero
Bezel Type	Frameless
Removable Stand	✓

Ergonomics		
Vesa Wallmount		100x100
Tilt		-5~35° °
Swivel		180 °
Pivot		✓
Height Adjust Amount		150 mm

Multimedia		
Audio Input		Line in
Built-in Speakers		2 W x 2
Audio output		Headphone out (3,5mm)

Connectivity and Multimedia		
Signal Input		HDMI, DisplayPort, VGA, DVI
USB input		USB 3.2 (Gen1) x 4
USB Hub		✓
USB out ports		4
USB fast charge		✓

What's in the Box?		
VGA cable		1,8 m
HDMI cable		1,8 m
Displayport Cable		1,8 m
Audio Cable		1,8 m
Power Cable C13		1,8 m

Power / Environmental		
Powersupply		Interno
Powersource		100 - 240 V 50/60Hz
PowerConsumption On (Energystar)		20 watt
PowerConsumption Standby (Energystar)		0.3 watt
PowerConsumption Off (Energystar)		0.3 watt
EnergyClass		A

Approbations / Regulations

Listed on Energystar Website	✓
TCO	8
Listed on Epeat Website	✓
TUV-GS	✓
CE	✓
FCC	✓
ISO 9241-307 class I	✓
Rohs compliant	✓
Reach compliant	✓

Warranty

Warranty Period	3 anni
-----------------	--------

Dimensions / Weights

Product height (mm)	326.4
Product width (mm)	540.2
Product depth (mm)	200.1
Product dimensions incl base	540.2 (W) * (384.4~513) (H) *200.1(D)
Product dimensions excl base	540.2(W)* 326.4(H) * 50.7(D)
Packaging Dimensions (L x W x H)	610(W)*525(H)*160(D) mm
Product Dimensions (incl base)	540.2*513*200,1 mm
Gross Weight (including package)	6.89 Kg
Net Weight (excluding package)	4.68 Kg

Texts and USP

Marketing title	23.8 inch 4 ms IPS HDMI, VGA, DVI, DisplayPort USB 3.2 (Gen1) x 4 AdaptiveSync
-----------------	--

Features

Sync Technology	AdaptiveSync
Flicker-free	✓
Blue Light Technology	Low blue light
Kensington Lock	✓