



Q27P2Q

27 inch (68.6 cm) LCD MONITOR

Qualità superiore delle immagini e una vasta gamma di funzioni in un monitor QHD da 27"



3 SIDED
FRAMELESS



ADJUSTABLE
STAND



FLICKER FREE



IPS WIDE VIEW



LOW BLUE MODE




QHD



USB HUB



TILT



Wide viewing angle

Le funzioni Wide Viewing Angle permettono di vedere colori accurati con angoli di visione fino a 178°. In questo modo, la resa cromatica sarà impeccabile, indipendentemente dalla posizione dell'osservatore.



Design senza cornice

Oltre ad avere un aspetto moderno e accattivante, i design senza cornice consentono configurazioni multi-monitor senza soluzione di continuità. Il cursore/le finestre non si perderanno più nell'abisso scuro delle cornici, quando molti display vengono affiancati l'uno accanto all'altro.



Ergonomici

Immediato senso di comfort! I supporti regolabili in altezza, inclinabili e girevoli vi aiutano a trovare la posizione più comoda e salutare.



QHD

Con la risoluzione 2560 x 1440, Quad HD (QHD) offre una qualità superiore delle immagini e immagini nitide che rivelano persino i dettagli più fini. Il widescreen formato 16:9 fornisce spazio in abbondanza per espandersi e lavorare e vi permette di fruire di giochi o film nel loro formato originale.



Pivot

Le P2 può essere ruotato di 180° per passare dall'orientamento orizzontale a quello verticale, funzione particolarmente utile in certi settori.

General

Model name	Q27P2Q
EAN	4038986187961
Product Line	Pro-line
Series	P2
Channel	B2B
Classification	Superhero
Section	Business
Launch date	01-07-2020

Screen

Resolution	2560 x 1440
Refresh rate	75 Hz
Screen size (inch)	27 inch
Screen size (cm)	68.6 cm
Flat / Curved	No
Backlight	WLED
Panel Type	IPS
Aspect ratio	16:9
Display Colours	16,7 milioni
Panel Colour in Bits	8
sRGB Coverage (%)	123
Adobe RGB Coverage (%)	91
NTSC coverage (%)	85 %
Active Screen Area (HxW)	596.736 (H) x335.664 (V) mm mm
Pixel Pitch	0.2331
Pixels per Inch	109
Scanning Frequency	VGA/HDMI1.4/DP1.2: 30-114 KHz (H) VGA/HDMI1.4/DP1.2 : 48-75 Hz (V)
Response time (GtG)	4 ms
Contrast (static)	1000:1
Contrast (dynamic)	50M: 1
Brightness (typical)	300 cd/m²
Viewing angle (CR10)	178/178 °
Hard Glass	Antiglare + 3H
OSD languages	EN, FR , ES, PT, DE, IT, NL, SE, FI, PL ,CZ, RU, KR, CN (T), CN (S), JP

Exterior

Monitor colour	Nero
Bezel Type	Frameless
Removable Stand	✓

Ergonomics	
Tilt	-5~35° °
Swivel	180 °
Pivot	✓
Height Adjust Amount	150 mm

Multimedia	
Audio Input	Line in
Built-in Speakers	2 W x 2
Audio output	Headphone out (3,5mm)

Connectivity and Multimedia	
Signal Input	HDMI, DisplayPort, VGA
USB input	USB 3.2 (Gen1) x 4
USB Hub	✓
USB out ports	4
USB fast charge	✓

What's in the Box?	
VGA cable	1,8 m
HDMI cable	1,8 m
Displayport Cable	1,8 m
Audio Cable	1,8 m
USB cable	1,8 m
Power Cable C13	1,8 m

Power / Environmental	
Powersupply	Interno
Powersource	100 - 240 V 50/60Hz
PowerConsumption On (Energystar)	28 watt
PowerConsumption Standby (Energystar)	0.3 watt
PowerConsumption Off (Energystar)	0.3 watt
EnergyClass	B

Approbations / Regulations	
Listed on Energystar Website	✓
TCO	certified
Listed on Epeat Website	✓
CE	✓
FCC	✓
ISO 9241-307 class I	✓
Rohs compliant	✓
Reach compliant	✓

Warranty

Warranty Period	3 anni
-----------------	--------

Dimensions / Weights

Product height (mm)	544.5
Product width (mm)	613.6
Product depth (mm)	200.1
Product dimensions incl base	613.6(W)x(394.5~544.5)(H)x200.1mm
Product dimensions excl base	613.6(W)*369.5(H)*51.1(D)
Packaging Dimensions (L x W x H)	690(W)*595(H)*160(D) mm
Product Dimensions (incl base)	613,6*544,5*200,1 mm
Gross Weight (including package)	8.5 Kg
Net Weight (excluding package)	5.98 Kg

Texts and USP

Marketing title	27 inch 4 ms IPS HDMI, VGA, DisplayPort USB 3.2 (Gen1) x 4
-----------------	--

Features

Flicker-free	✓
Blue Light Technology	Low blue light
Kensington Lock	✓