

Commercial TV US762H (EU/CIS)

# 4K UHD Hospitality TV with NanoCell Display and Pro:Centric Direct

US762H with NanoCell Display features UHD resolution that creates vivid details and a virtually flawless picture. And it features Pro:Centric technologies for easy management, configuration and updates on guest room TVs via a centralized management system.









# NanoCell TECHNOLOGY



# Real 4K Made by Pure Colors

NanoCell TV delivers a broad spectrum of color and lifelike accuracy with advanced NanoCell technology, which makes LG Hotel TV flawless. Discover the more brilliant and clear visual experience with Real 4K that NanoCell TV delivers.




\* Image shown is for illustrative purpose only.

# Nano Bezel Adds Sophisticated Ambiance

With its minimal Nano Bezel, NanoCell is designed to blend into any interior and delivers immersive and delicate viewing experience.

## Pro:Centric HOTEL MANAGEMENT SOLUTION



#### Pro:Centric Direct

The hotel content management solution Pro:Centric Direct offers easy and simple editing tools, making it easy to perform service and IP network-based remote management. The Pro:Centric Direct solution enables users to edit their interface easily by providing customized interface and efficiently manages all TVs in the rooms. The current PCD version provides IoT-based in-room control as well as voice control function through LG Natural Language Processing (NLP). These IoT and voice-related functions will be your starting point to prepare for the hotel rooms of next generation through artificial intelligence.

## VALUE ADDED FEATURES



\* Image shown is for illustrative purpose only.

## More Innovative LG webOS 5.0

Explore the latest LG Smart TV features. Newly added Mood Display & Gallery modes enable you to utilize the TV as a customized clock and an artwork which perfectly harmonizes with your space and life.



\* Image shown is for illustrative purpose only.

## Soft AP

Software-enabled Access Point (Soft AP) is a "virtual" Wi-Fi feature that uses TV as a wireless hotspot, enabling guests to connect their own devices to the Soft AP. It supports Bridge Mode, allowing administrators to manage in-room Soft AP information such as signal level, Soft AP passwords, etc.

- \* Soft AP should be set in the installation menu after the TV is turned on.
- \* Smart Mirroring may not be operated at the same time.

 $<sup>\</sup>mbox{\ensuremath{^{\star}}}$  Some devices may have limited compatibility with the IoT function.

## VALUE ADDED FEATURES



\* Image shown is for illustrative purpose only.

## Welcome Video / Screen

With the capability to display several images, LG Commercial TV allows for a greater variation of greeting messages in hotel rooms which make customers feel more welcome and cared for.



\* Image shown is for illustrative purpose only.

## Hotel Mode (Public Display Mode)

From channel selection to volume level, you can control the TV settings in business areas. It also enables you to restore default settings, as required, on the TVs.



# **USB Cloning**

USB data cloning makes setting up multiple displays more efficient for optimal operation. Instead of setting up each display one by one, data can be copied to a USB for one display and can be sent to the other displays through a USB plug-in.



#### IR Out

Using the interactive set-top box, all LG Commercial TVs can be controlled with a single remote control.

# PRODUCT INFORMATION





## US762H (EU/CIS)


Design	Stand Type	No Stand For Accessory : 1 Pole (65" : Fixed, 55"/49" : Swivel) * Sold separately
Display	Inch	65" / 55" / 49"
	Resolution	3,840 × 2,160 (UHD)
	Category	NanoCell
Broadcasting System	Digital	DVB - T2 / C / S2
	Analog	PAL
Solution	Pro:Centric (Smart, Direct, V), Quick Menu	


# **DIMENSION**


(unit: mm)















## CONNECTIVITY

Side

#### Rear





\* Dimensions & Jack Panels may differ from the above image, so please contact LG sales team to verify before ordering.









