

EV0line®
ePlace Design


EV0line® Square80



NEW


schulte
elektrotechnik

invented and made by
Schulte Elektrotechnik,
Lüdenscheid, Germany.



Slider with added value

Cable apertures in desks are standard. This standard opening in the work surface can offer you more than just a hole with cover. EVoline Square provides a socket, a USB-Charger and a data connection inside the 80 mm diameter. Even in closed position EVoline Square80 gives you a smart offer: The sliding cover in its Qi-Version provides an inductive technology (standard WPC 1.1) for wireless charging of suitable mobiles.

Description	Image	Specification	Order No.
<p>EV0line Square80</p> <p>Installation for surface thickness of up to 50 mm</p> <p>Installation cutout diameter: 80 mm</p> <p>Configuration:</p> <p>1 power outlet, VDE compliant, 16 A, touch-protected</p> <p>1 USB type A charger – ideal for charging of all USB-chargeable devices, i.e. iPhones, iPads, iPods, Tablets, Smart phones, MP3 Players.</p> <p>3 m fixed supply cable with Schuko angled plug</p> <p>For complete cable management solution, we recommend EV0line WireLane and EV0line Bridge to cover exposes cables. Available to order separately.</p> <p>International versions available upon request.</p> <p>The USB charging function cannot be guaranteed due to the multitude of manufacturers and devices on the market.</p>		<p>Without Qi charging function</p> <p>Black cover and black housing</p> <p>With CAT 6 socket, 3,0 m Cable and plug</p> <p>With 3,0 m pull-out CAT 6 patch cable male to male</p> <p>Without data</p> <hr/> <p>White cover and white housing</p> <p>With CAT 6 socket, 3,0 m Cable and plug</p> <p>With 3,0 m pull-out CAT 6 patch cable male to male</p> <p>Without data</p> <hr/> <p>Stainless steel effect cover and black housing</p> <p>With CAT 6 socket, 3,0 m Cable and plug</p> <p>With 3,0 m pull-out CAT 6 patch cable male to male</p> <p>Without data</p> <hr/> <p>With Qi charging function</p> <p>Black cover and black housing</p> <p>With CAT 6 socket, 3,0 m Cable and plug</p> <p>With 3,0 m pull-out CAT 6 patch cable male to male</p> <p>Without data</p> <hr/> <p>White cover and white housing</p> <p>With CAT 6 socket, 3,0 m Cable and plug</p> <p>With 3,0 m pull-out CAT 6 patch cable male to male</p> <p>Without data</p> <hr/> <p>Stainless steel effect cover and black housing</p> <p>With CAT 6 socket, 3,0 m Cable and plug</p> <p>With 3,0 m pull-out CAT 6 patch cable male to male</p> <p>Without data</p>	<p>1592 7000 0100</p> <p>1592 7000 0200</p> <p>1592 7000 0300</p> <p>1592 7000 1900</p> <p>1592 7000 2000</p> <p>1592 7000 2100</p> <p>1592 7000 3100</p> <p>1592 7000 3200</p> <p>1592 7000 3300</p> <p>1592 7000 0400</p> <p>1592 7000 0500</p> <p>1592 7000 0600</p> <p>1592 7000 2200</p> <p>1592 7000 2300</p> <p>1592 7000 2400</p> <p>1592 7000 3400</p> <p>1592 7000 3500</p> <p>1592 7000 3600</p>

* For all Qi-compliant mobile phones with WPC standard 1.1



international
sockets



fits
into a
80 mm hole




with
USB Charger



mobile
charging

Dimensions





Schulte Elektrotechnik GmbH & Co KG

Postfach 27 08 / 27 32
58477 Lüdenscheid
Germany

Jüngerstraße 21
58515 Lüdenscheid
Germany

Phone +49 23 51 / 94 81 - 0
Fax +49 23 51 / 4 26 58
e-mail info@schulte.com
Internet www.evoline.com

