

HD HOME MINI VIDEO PROJECTOR

N1



120 ANSI
Lumens



HD resolution
720p



Screen 30"
to 200"



30000
Hours



Light
Weight

Bring your video projector everywhere!

The YOUNG N1 mini video projector is small and portable. It can be carried in a pocket or a bag. Due to its compact size, the video protector fits into any pocket and can be carried by young and old without any problems. You can enjoy movies, videos and games from anywhere. Its 1080P full HD resolution gives it a sharp image with its contrast 1000:1 and its 16M colour. It offers a projection size from 30" ~ 200".

- Easy and simple to transport
- HD native resolution 720p compliant with 1080p
- Full connectivity HDMI, USB, AV In, Audio out
- Easy command with buttons on the device
- Variable projection distance from 0.9 to 6.2 m
- Mini size and weight 155 x 116 x 60 mm / 0,42 kg

HD HOME MINI VIDEO PROJECTOR

N1



N1	
OPTICAL PARAMETERS	
Display Technology	2.69" LCD
Product Type	Home Projector
Lens	High transmittance lens
Native Resolution	1280x720P
Brightness	120 ANSI Lumens
Contrast Ratio	1000:1
Color Depth	16M
LED Life	>30000 hour
PROJECTION PARAMETERS	
Throw Ratio	1.1
Focus Mode	Manual Focus
Aspect Ratio	16:9/4:3
Keystone Correction	Manual vertical keystone
Projection Mode	Front/Rear/Front Ceiling/Rear Ceiling
Projection Size	30" ~ 200"
Projection Distance	0,9 m – 6,2 m
SYSTEM	
Operation System	RTOS
Language	Chinese/English/Japanese/French/Korean/German/Russian/Spanish etc.
INTERFACE	
USB2.0	x1
AC	x1
HDMI 1.4	x1
TF	x1
Audio Output	x1
AV Input	x1
ELECTRICAL PARAMETERS	
Noise Standard	<40dB
Operation Temperature	0°C~35°C
Power Supply	AC100~240V
Power Consumption	≤43W
Speaker	3W
Standby Power	≤0.5W
PACKAGE	
Product Size	60mm x 116mm x 155mm
Package Size	480*415*405mm(16units / pack)
Product Weight	0.42kg
Accessories	Video Projector/Remote Control/Power Adaptor/Quick Start Guide/Safety Instructions/ Warranty Card
EAN	9120072375170

COMPATIBLE RESOLUTION

AV Support Resolution

- 640 x 350@60Hz
- 720 x 400@70Hz
- 640 x 480@60/72/75Hz
- 800 x 600@56/60/72/75Hz
- 1024 x 768@60/70/75Hz
- 1280 x 768@60/75Hz
- 1280 x 800@60Hz
- 1366 x 768@60Hz
- 1280 x1024@60/72/75Hz

HDMI Support Resolution

- 1400 x1050@60Hz
- 1440 x 900@60/Hz
- 1680 x 1050@60Hz
- 1920 x 1080@60Hz
- 640 x 350@60Hz
- 720 x 400@70Hz
- 640 x 480@60/72/75Hz
- 800 x 600@56/60/72/75Hz
- 1024 x 768@60/70/75Hz
- 1280 x 768@60/75Hz
- 1280 x 800@60Hz
- 1366 x 768@60Hz
- 1280 x1024@60/72/75Hz

- 1400 x1050@60Hz
- 1440 x 900@60/Hz
- 1680 x 1050@60Hz
- 720 x 576i@50Hz
- 720 x 480i@60Hz
- 720 x 576P@50Hz
- 720 x 480P@60Hz
- 1280 x 720P@50/60Hz
- 1920 x 1080i@50/60Hz
- 1920 x 1080P@24/30/50/60Hz

TF CARD & USB COMPATIBLE FORMAT

FILE TYPE	EXTENSION	REMARKS
Text	*.txt	Maximum Support 1MB
Music	*.avi, *.asf, *.wmv, *.ts, *.mkv, *.dat, *.vob,	MPEG1/2 Decode, Sampling Rate 16KHz ~ 48KHz,
	*.mpg, *.mpeg, *.mp3, *.mp4	Code Rate 32Kbps ~ 448Kbps
	*.avi, *.mkv, *.mp4, *.mov, *.ts, *.tp, *.dat,	LPCM Decode, Sampling Rate 8KHz ~ 48KHz,
Photo	*vob, *.mpg, *.mpeg, *.wav, *.m4a	Code Rate 64Kbps ~ 1.5Mbps
	*.jpg	Base-Line: Maximum Support Resolution1920(x8) X 1080(x8)
	*.jpeg	
	*.png	
	*.gif	
	*.bmp	
Movie	*.avi	MPEG1/2/4 Maximum Support 1080P@30fps
	*.mkv	Code Rate 40Mbps
	*.mp4	H.263 Maximum Support 1080P@30fps
	*.mov	Code Rate 40Mbps
	*.mpg, *.mpeg	H.264 Maximum Support 1080P@60fps
	*.ts, *.tp, *.m2ts	Code Rate 40Mbps
	*.dat	HEVC Maximum Support 1080P@60fps
	*.flv, *.swf, *.as	Code Rate 40Mbps
	*.vob	AVS Maximum Support 1080P@30fps
	*.rm, *.rmvb	Code Rate 40Mbps
	*.3gp, *.3gpp	AVS+ Maximum Support 1080P@30fps
		Code Rate 40Mbps

N1 EAN: 9120072375170
PCB: 10

SERVICE CENTER

AT

support_at@strong-eu.com

0820 400 150
(€ 0.12/Min, österr. Festnetz)

DE

support_de@strong-eu.com

0800 7788 787
(Gebührenfrei)

IT

support_it@strong-eu.com

BG

support_bg@strong-eu.com

+359 32 634451

DK

support_dk@strong-eu.com

ES

support_es@strong-eu.com

+34 91 119 61 76

CZ

support_cz@strong-eu.com

844 44 44 90

FR

support_fr@strong-eu.com

PT

support_pt@strong-eu.com

+351 2 100 06 125

NL

support_nl@strong-eu.com

PL

support_pl@strong-eu.com

801 702 017

UA

support_ua@strong-eu.com

+380 (44) 238 61 50

HR

+385 1 344 57 66

SK

support_sk@strong-eu.com

0850 15 05 50

HU

support_hu@strong-eu.com

+36 1 445 26 10

SL

+386 1 828 08 58

Subject to alterations. In consequence of continuous research and development technical specifications, design and appearance of products may change. Technical alterations reserved.
All product names are trademarks or registered trademarks of their respective owners.
© STRONG 2024. All rights reserved.