

Super smart is now super simple.



©2015 Samsung Electronics Ltd. Samsung is a registered mark of Samsung Electronics Corp. Ltd. Specification and design are subject to change without notice. Non-metric weights and measurements are approximate. All data is correct at time of creation, Samsung are not liable for errors or omissions. All brand, product, service names and logos are trademarks and/or registered trademarks of their respective manufacturers and companies are hereby recognised and acknowledged.

Copyright© 1995-2015 SAMSUNG. All rights reserved.

Samsung House  
1000 Hillswood Drive  
Chertsey, Surrey KT16 0PS

# SAMSUNG

Samsung Printer Range

A4 to A3 | Mono to Colour | Printers to MFPs

# The broadest range of business print solutions

## Welcome to the Samsung printer range brochure.

This guide details our comprehensive range of mono and colour printing devices and software solutions. Designed to drive reduced costs and enhance your productivity, our comprehensive range covers home printing to large organisations and everything in between.



## Contents

<b>Why Samsung?</b>	04
Print promises	
Our environment	
SMART service	
Winning achievements	
NFC Printing	

Printing solutions	
Compatibility matrix	
<b>54</b>	

	Small Office / Home Office	Small / Medium Business	Enterprise
<b>Colour</b>	<b>Single function printers</b> SL-C430W CLP-415N SL-C1810W  <b>Multi-function printers</b> SL-C480W SL-C480FW CLX-4195FN SL-C1860FW	<b>Single function printers</b> CLP-680ND CLP-680DW CLP-775ND SL-C2620DW  <b>Multi-function printers</b> CLX-6260ND CLX-6260FW SL-C2670FW	<b>A4 colour MFPs</b> CLX-8640ND CLX-8650ND  <b>A3 colour MFPs</b> CLX-9201NA CLX-9251NA CLX-9301NA CLX-9352NA  <b>38</b>
<b>Mono</b>	<b>Single function printers</b> SL-M2026 SL-M2026W SL-M2825ND SL-M2835DW  <b>Multi-function printers</b> SL-M2070 SL-M2070W SL-M2675FN SL-M2875FD SL-M2885FW	<b>Single function printers</b> SL-M3320ND SL-M3820ND ML-5015ND ML-5515ND ML-6515ND  <b>Multi-function printers</b> SL-M3370FD SL-M3870FW SL-M4070FR SL-M4580FX	<b>A4 mono MFPs</b> SL-M4370LX SL-K4350LX  <b>A3 mono MFPs</b> SCX-8128NA SL-K4250LX  <b>46</b>
	<b>14</b>	<b>26</b>	<b>32</b>

# Why Samsung Print?

At Samsung, we're in the business of delivering straightforward, flexible print solutions. While printing remains a key investment for any business, our holistic approach ensures you feel completely assured in our capabilities.

Delivering much more than just product, we deliver reliable, compatible solutions that offer user-friendly features and intuitive interfaces so your users can get the most out of their printing, every time! Ranging from compact A4 desktop printers through to fully configured A3 digital multifunctional printers, with customisable solutions, Samsung offers one of the

industry's widest selections of printers, MFPs and print software. Here at Samsung Print, our aim is to give our customers performance, without complexity. Beyond our print devices, Samsung Printing provide document, device and security management for streamlined workflow and efficient printer performance.



Samsung CLX-6260FW

Samsung's goal is to increase efficiency, help reduce your printing costs and add flexibility for corporate environments by providing intelligent solutions to meet everyday business challenges.



# Samsung Print Promises

## Faster

The fastest and most responsive laser printing engines drive our mono and colour printers.

Samsung's instant fusing technology enables Samsung laser printing devices to deliver faster printing speeds and lower power consumption, saving energy and money.

## Longer

Samsung's Toner Save feature enables you to save up to 30% of your printer consumables and print for longer!

Immediately switch to low power consumption, with the power save button conveniently situated on the front of the device, it's easy to switch to Power Save Mode.

## Innovative

Samsung is the 11th most innovative company according to Bloomberg's Business Week.

2nd largest number of patents registered in the industry over the last 12 months.

\$6.2 billion spent across 26 R&D centres globally.

## Secure

We understand the intricacies and sensitivities of system security, and create printing devices that are easy to incorporate into your existing processes to provide you with the document security you demand.

## Reliable

We conduct 34 independent reliability tests at the point of design.

## Protected

We offer a standard 1-year limited warranty on all Samsung Printers and MFPs. An extended warranty is also available for up to 3 to 5 years.

## Responsible

More than 80% of Samsung's IT product range now carries Energy Star® certification. Energy Star is a worldwide award programme that offers businesses and consumers energy-efficient solutions.

Blue Angel is the first and most well-known eco-label worldwide and is awarded to companies for their commitment to the environment.

## Brighter

Sharper graphics delivered with enhanced imagery of up to 1,200dpi on Samsung printing technology.

Polymerised toner delivers sharper printed imagery.





# Our environment

As a technology leader, Samsung has a responsibility to the future of our planet and the impact that modern printers will have on the environment, a responsibility we take very seriously. All of our business activities observe our Green Management Policy, which encourages respect for nature and contributes to the prosperity of human life and the conservation of the environment, as follows:

## Green management system

to continuously improve how we manage any environmental, safety and health issues occurring in production and service.

## Compliance with regulations

we apply rigorous standards and faithfully observe relevant laws, regulations and international agreements in order to be a good corporate citizen.

## Minimising environmental impact

with the use of resources and energy through clean production technologies, and the development of new advanced technology to reduce the output of materials known to cause negative environmental impacts such as CO<sub>2</sub> emissions.

## Life cycle responsibility

with environment and safety conscious designs, use of environment-friendly materials and the recycling of end-of-life products.

## Realisation of a safe and pleasant workplace

to prevent environmental or safety-related accidents, fostering the atmosphere of a safe and pleasant workplace.

## Solid supplier partnership & community contribution

we fully co-operate with suppliers in fulfilling Green Management Policies, and will maintain excellent partnerships with them to carry out activities for environmental conservation and the development of the local communities.

## Green accolades

ENERGY STAR is a worldwide award programme that offers businesses and consumers energy-efficient solutions, making it easy to save money while protecting the environment for future generations to come.

The Blue Angel is the first and most well-known eco-label worldwide. The Blue Angel is awarded to companies for their commitment to the environment.

It is used to professionally promote eco-friendly products in the market.

The Blue Angel is an ecological beacon showing consumers, ecologically superior products and promotes environmentally conscious consumption.



# What is NFC?

Near Field Communication (NFC) printing is a wireless sharing technology that enables your mobile device to connect and communicate with your printer. Tap your phone or tablet to your printer and print.

Samsung has created a MobilePrint solution that is ready to handle today's latest business tools. Printing photos, web pages, PDF files etc, from your mobile devices is now a simple task. Whether you use an Android or IOS-based smart phone or tablet PC, simply select the content and then wirelessly print. It couldn't be easier.

## Mobile Print App

Printing photos, web pages, emails and documents can all be done through your smartphone or tablet with the Samsung Mobile Print App. You can even scan from a connected network, fax over a document or transfer any file easily to both a PC or over the web. Giving your smartphone or tablet the power to print is a massive advantage.

For Android users (2.1 or later), the Samsung Mobile Print App can be downloaded from Google Play. For iOS users (3.2 or later), the Samsung Mobile Print App can be downloaded from the App Store.

## Direct Wi-Fi

Mobile devices continue to make the office more efficient. Samsung Wi-Fi Direct Printing allows users to print straight from smartphones, tablets or PCs. With Wi-Fi Direct connectivity you can print and scan without having an access point.



# Experience SMART printing, just like using a tablet

Businesses now want to extend smart technology to all devices to gain the same level of intuitiveness and flexibility. A printer is no exception.

## Touch to print

The SMART MultiXpress provides innovative usability through Samsung SMART UX Center as the very first Smart Android printing UX. Samsung SMART UX Centre is a printing UX based on the Android OS and the first of its kind in the printing industry.

This user-friendly UX provides intuitiveness, usability and extendibility at the same time, which ensures perfect compatibility with various Android-based smart devices.

## Experience SMART printing, just like using a tablet

The interface also provides the Real Preview function from

the preloaded applications, such as Copy, Send and Box. You can further extend usability with direct web access through the web browser to quickly print various web content, such as maps, pictures, emails and more without a PC.

## Enjoy preloaded applications and widgets

Printing applications are preloaded, including Copy, Scan/ Send, Box, Job Status, Counter, Settings, Build Job, Address Book and Help, which provides users with more convenient usability. Plus, there are custom widgets for creating instant, one-tap access to frequently used functions.




# SMART service

## Service trends in the printing industry

Rapid advancements in technology continue to drive digitisation of information, IT consumerisation and BYOD initiatives, resulting in significant changes in today's business environment. The ability to seamlessly handle and print digital documents in a modern workplace has become critical to productivity in this competitive market landscape. With the expanding role of digital document editing and printing, the service requirements to maintain these document workflows at optimal levels is also increasing. And as evolving enterprise mobility enhances every aspect of business, the end customer now expects the same kind of prompt, interactive service solutions for their printer systems.

## Why Samsung SMART service solutions?

Samsung SMART service solutions offer a broad range of methods to solve document-handling issues that may arise in the workplace and provide quick, communicative services to ensure optimal print operations for businesses. By offering customised solutions specially designed for every stakeholder involved in the document printing process, from IT administrator and an end-user to a service provider. Samsung provides the ideal solution to various problems at virtually any point in the process while drastically reducing service waiting time. This means minimal workforce downtime for increased business productivity and an improved bottom line.



# Winning achievements

Since 1961, Buyers Lab has been the leading independent office-equipment testing lab and business consumer advocate.

Our printing devices and solutions are in a league of their own. At Samsung we have received a number of high ranking awards and accolades from Buyers Lab for the reliability and overall performance of our business printing products. Our recent achievements include awards for Mono Range of the Year.

**For more information on Buyers Lab and our achievement to date, visit [www.buyerslab.com](http://www.buyerslab.com)**



2015 pick



Line of the year



# Small Office / Home Office

## Colour Printers

Total reliability and efficiency for your home or small office

The perfect colour printer range for all of your home and small office printing requirements.

### SINGLE FUNCTION PRINTERS

**SL-C430W**    **4ppm**

**CLP-415N**    **18ppm**

**SL-C1810W**    **18ppm**


### MULTI-FUNCTION PRINTERS

**SL-C480W**    **4ppm**

**SL-C480FW**    **4ppm**

**CLX-4195FN**    **18ppm**

**SL-C1860FW**    **18ppm**



### Samsung MobilePrint app: Advanced mobile printing with more options

Print with powerful features, including N-up printing and image size adjustment. You can also print various formats and types of documents, such as gallery images, Microsoft® Office® documents, Adobe® PDFs, web pages, e-mail and Google Docs, along with Facebook® content. Moreover, fix print errors from your smartphone using visual troubleshooting. Just tap when a print error occurs and a video clip guides you through fixing jams, empty toner and more.



### Crisp, glossy images with Samsung's polymerised toner

Our newly developed polymerised toner has smaller and more uniform particles than conventional toner. Your printouts will have crisper lines and more vivid colours, in addition to eliminating paper curling. Also, its higher wax content improves the image gloss and enhances durability, preventing unwanted fading.

Conventional	Samsung
Various, non-uniform, jagged toner particles	Small, uniform, round toner particles

### Easy toner replacement

Replacing toner cartridges is a snap with a push-loading drawer.



### Easy colour management

The Samsung Easy Colour Manager enables you to adjust the colour balance, saturation, brightness or contrast of any image prior to printing. It's perfect for matching the exact colours of your company logo every time.

### High yield, low costs

Higher-yield cartridges mean more time between changes, saving you time and consumables, which translates into less per-page cost and reduced TCO.





A4 Colour Printers	<b>SL-C430W</b>	<b>CLP-415N</b>
Format	A4	A4
Speed	18ppm mono / 4ppm colour	18ppm
User Interface Type	LED	2 line LCD
FPOT	Less than 14 / 26 seconds	Less than 16 seconds
Print Resolution	2,400 x 600dpi	9,600 x 600dpi
Duplex	Manual	Manual
Processor	400MHz	Dual Core 533MHz
Memory	64MB	256MB
Printer Languages	SPL-C	SPLC / PCL5Ce / PCL6C / PS3 / PDF V1.7
Paper Capacity	Cassette – 150 Sheets	Cassette – 250 Sheets Multi-Purpose Tray – 1 Sheet
Connectivity	USB 2.0, Ethernet 10,100 Base TX, Wireless 802.11 b/g/n, Wi-Fi Direct, NFC	USB 2.0, Ethernet 10/100 Base TX
Compatibility	Windows 8, 7, Vista, XP, 2008R2, 2008, 2003 RedHat Enterprise Linux WS 4, 5 Fedora 5, 6, 7, 8, 9, 10, 11, 12, 13 SuSE Linux 10.1 OpenSuSE 10.2, 10.3, 11.0, 11.1, 11.2 Mandriva 2007, 2008, 2009, 2009.1, 2010 Ubuntu 6.06, 6.10, 7.04, 7.10, 8.04, 8.10, 9.04, 9.10, 10.04 SuSE Linux Enterprise Desktop 10, 11 Debian 4.0, 5.0 Mac OS X 10.4~10.8	Windows 8, 7, Vista, XP, 2008R2, 2008, 2003 RedHat Enterprise Linux WS 4, 5 Fedora 5 ~ 13 SuSE Linux 10.1 OpenSuSE 10.2, 10.3, 11.0, 11.1, 11.2 Mandriva 2007, 2008, 2009, 2009.1, 2010 Ubuntu 6.06, 6.10, 7.04, 7.10, 8.04, 8.10, 9.04, 9.10, 10.04 SuSE Linux Enterprise Desktop 10, 11 Debian 4.0, 5.0 Mac OS X 10.4~10.8
Monthly Duty Cycle	20,000	40,000
Weight	9.96kg	16.62kg
Dimensions (WxDxH)	382 x 309 x 211mm (except paper tray)	420 x 426 x 264mm
Blue Angel	Yes	Yes
Energy Star	Yes	Yes
Supplies	CLT-K404S - Black Toner, Yield 1,500 CLT-M404S - Magenta Toner, Yield 1,000 CLT-C404S - Cyan Toner, Yield 1,000 CLT-Y404S - Yellow Toner, Yield 1,000	CLT-C504S/ELS - Cyan Toner, Yield 1,800 CLT-M504S/ELS - Magenta Toner, Yield 1,800 CLT-Y504S/ELS - Yellow Toner, Yield 1,800 CLT-K504S/ELS - Black Toner, Yield 2,500 CLT-W504/SEE - Waste Toner, Yield 3,500/14,000
Standard Warranty	1 Year Warranty	1 Year Warranty

Photos are for illustrative purposes only. Options and Supplies will need to be purchased separately. Specifications could be subject to change on certain models.

A4 Colour Printers	<b>SL-C1810W</b>
Format	A4
Speed	18ppm
User Interface Type	2 Line LCD
FPOT	Less than 16 seconds
Print Resolution	9,600 x 600dpi
Duplex	Manual
Processor	Dual Core 533MHz
Memory	256MB
Printer Languages	SPLC / PCL5Ce / PCL6C / PS3 / PDF V1.7
Paper Capacity	Cassette – 250 Sheets Multi-Purpose Tray – 1 Sheet
Connectivity	USB 2.0, Ethernet 10,100 Base TX, Wireless 802.11 b/g/n, Wi-Fi Direct, NFC
Compatibility	Windows 8, 7, Vista, XP, 2008R2, 2008, 2003 RedHat Enterprise Linux WS 4, 5 Fedora 5 ~ 13 SuSE Linux 10.1 OpenSuSE 10.2, 10.3, 11.0, 11.1, 11.2 Mandriva 2007, 2008, 2009, 2009.1, 2010 Ubuntu 6.06, 6.10, 7.04, 7.10, 8.04, 8.10, 9.04, 9.10, 10.04 SuSE Linux Enterprise Desktop 10, 11 Debian 4.0, 5.0 Sun Solaris 9, 10 HP-UNIX 11.0, 11i v1, 11i v2, 11i v3 IBM AIX 5.1, 5.2, 5.3, 5.4 Mac OS X 10.5 ~ 10.9
Monthly Duty Cycle	40,000
Weight	16.62kg
Dimensions (WxDxH)	420 x 426 x 264mm
Blue Angel	Yes
Energy Star	Yes
Supplies	CLT-C504S/ELS - Cyan Toner, Yield 1,800 CLT-M504S/ELS - Magenta Toner, Yield 1,800 CLT-Y504S/ELS - Yellow Toner, Yield 1,800 CLT-K504S/ELS - Black Toner, Yield 2,500 CLT-W504/SEE - Waste Toner, Yield 3,500/14,000
Standard Warranty	1 Year Warranty



A4 Colour Printers	<b>SL-C480W</b>	<b>SL-C480FW</b>
Format	A4	A4
Speed	18ppm mono / 4ppm colour	18ppm mono / 4ppm colour
User Interface Type	2-Line LCD	2-Line LCD
FPOT	Less than 14 sec mono/ 26 sec colour	Less than 14 sec mono/ 26 sec colour
Print Resolution	2,400 x 600dpi	2,400 x 600dpi
Duplex	Manual	Manual
Processor	800MHz	800MHz
Memory	128MB	128MB
Printer Languages	SPL-C, PCL-5c/6, PS3, URF	SPL-C, PCL-5c, PCL-6c, PS3, URF
Fax	-	Standard
Scan	PC, USB, Application	Email, PC, USB, Application
Paper Capacity	Cassette – 150 Sheets	Cassette – 150 Sheets
Document Feeder	-	40-sheet – ADF
Connectivity	USB 2.0, Ethernet 10,100 Base TX, Wireless 802.11 b/g/n, Wi-Fi Direct, NFC	USB 2.0, Ethernet 10,100 Base TX, Wireless 802.11 b/g/n, Wi-Fi Direct, NFC
Compatibility	Windows 8, 7, Vista, XP, 2008R2, 2008, 2003 Redhat Enterprise Linux WS 4, 5, 6 Fedora 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15 OpenSuSE 10.2, 10.3, 11.0, 11.1, 11.2, 11.3, 11.4 Mandriva 2007, 2008, 2009, 2009.1, 2010 Ubuntu 6.06, 6.10, 7.04, 7.10, 8.04, 8.10, 9.04, 9.10, 10.04, 10.10, 11.04 SuSE Linux Enterprise Desktop 10, 11 Debian 4.0, 5.0, 6.0 Mac OS X 10.5~10.8	Windows 8, 7, Vista, XP, 2008R2, 2008, 2003 Redhat Enterprise Linux WS 4, 5, 6 Fedora 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15 OpenSuSE 10.2, 10.3, 11.0, 11.1, 11.2, 11.3, 11.4 Mandriva 2007, 2008, 2009, 2009.1, 2010 Ubuntu 6.06, 6.10, 7.04, 7.10, 8.04, 8.10, 9.04, 9.10, 10.04, 10.10, 11.04 SuSE Linux Enterprise Desktop 10, 11 Debian 4.0, 5.0, 6.0 Mac OS X 10.5~10.8
Monthly Duty Cycle	20,000	20,000
Weight	12.89kg	14.06kg
Dimensions (WxDxH)	406 x 362 x 288.6mm (except paper tray)	406 x 362 x 333.5mm
Blue Angel	Yes	Yes
Energy Star	Yes	Yes
Supplies	CLT-K404S - Black Toner, Yield 1,500 CLT-M404S - Magenta Toner, Yield 1,000 CLT-C404S - Cyan Toner, Yield 1,000 CLT-Y404S - Yellow Toner, Yield 1,000	CLT-K404S - Black Toner, Yield 1,500 CLT-M404S - Magenta Toner, Yield 1,000 CLT-C404S - Cyan Toner, Yield 1,000 CLT-Y404S - Yellow Toner, Yield 1,000
Standard Warranty	1 Year Warranty	1 Year Warranty

Photos are for illustrative purposes only. Options and Supplies will need to be purchased separately. Specifications could be subject to change on certain models.

A4 Colour Printers	<b>CLX-4195FN</b>	<b>SL-C1860FW</b>
Format	A4	A4
Speed	18ppm	18ppm
User Interface Type	4.3" Touch Screen LCD	4.3" Touch Screen LCD
FPOT	Less than 16 seconds	Less than 16 seconds
Print Resolution	9,600 x 600dpi	9,600 x 600
Duplex	Manual	Manual
Processor	533MHz	533MHz
Memory	256MB	256MB
Printer Languages	SPLC, PCL5Ce, PCL6C, PS3, PDF V1.7	SPLC, PCL5Ce, PCL6C, PS3, PDF V1.7
Fax	Standard	Standard
Scan	Scan to PC, USB, E-mail	Scan to PC, USB, E-mail
Paper Capacity	Cassette – 250 Sheets Multi-Purpose Tray – 1 Sheet	Cassette – 250 Sheets Multi-Purpose Tray – 1 Sheet
Document Feeder	50-sheet – ADF	50 sheet – ADF
Connectivity	USB 2.0, Ethernet 10/100/1000 Base TX	USB 2.0, Ethernet 10,100 Base TX, Wireless 802.11 b/g/n, Wi-Fi Direct, NFC
Compatibility	Windows 8, 7, Vista, XP, 2008R2, 2008, 2003 Redhat Enterprise Linux WS 4, 5, 6 Fedora 5 ~ 13; SuSE Linux 10.1 OpenSuSE 10.2, 10.3, 11.0, 11.1, 11.2, 11.3, 11.4 Mandriva 2007, 2008, 2009, 2009.1, 2010 Ubuntu 6.06, 6.10, 7.04, 7.10, 8.04, 8.10, 9.04, 9.10, 10.04, 10.10, 11.04 SuSE Linux Enterprise Desktop 10, 11 Debian 4.0, 5.0, 6.0 HP-UNIX 11.0, 11i v1, 11i v2, 11i v3 IBM AIX 5.1, 5.2, 5.3, 5.4; Mac OS X 10.5~10.9	Windows 8, 7, Vista, XP, 2008R2, 2008, 2003 Redhat Enterprise Linux WS 4, 5, 6 Fedora 5 ~ 13; SuSE Linux 10.1 OpenSuSE 10.2, 10.3, 11.0, 11.1, 11.2, 11.3, 11.4 Mandriva 2007, 2008, 2009, 2009.1, 2010 Ubuntu 6.06, 6.10, 7.04, 7.10, 8.04, 8.10, 9.04, 9.10, 10.04 SuSE Linux Enterprise Desktop 10, 11 Debian 4.0, 5.0; Sun Solaris 9, 10 HP-UNIX 11.0, 11i v1, 11i v2, 11i v3 IBM AIX 5.1, 5.2, 5.3, 5.4; Mac OS X 10.5~10.9
Monthly Duty Cycle	40,000	40,000
Weight	21.44kg	21.44kg
Dimensions (WxDxH)	420 x 426 x 448mm	420 x 426 x 448mm
Blue Angel	Yes	Yes
Energy Star	Yes	Yes
Supplies	CLT-C504S/ELS - Cyan Toner, Yield 1,800 CLT-M504S/ELS - Magenta Toner, Yield 1,800 CLT-Y504S/ELS - Yellow Toner, Yield 1,800 CLT-K504S/ELS - Black Toner, Yield 1,800 CLT-W504/SEE - Waste Toner Bottle, Yield 3,500 / 14,000	CLT-C504S/ELS - Cyan Toner, Yield 1,800 CLT-M504S/ELS - Magenta Toner, Yield 1,800 CLT-Y504S/ELS - Yellow Toner, Yield 1,800 CLT-K504S/ELS - Black Toner, Yield 1,800 CLT-W504/SEE - Waste Toner Bottle, Yield 3,500 / 14,000
Standard Warranty	1 Year Warranty	1 Year Warranty

# Small Office / Home Office

## Mono Printers

Total reliability and efficiency for your home or small office

The perfect mono printer range for all of your home and small office printing requirements.

### SINGLE FUNCTION PRINTERS

**SL-M2026** 20ppm

**SL-M2026W** 20ppm

**SL-M2825ND** 28ppm

**SL-M2835DW** 28ppm

### MULTI-FUNCTION PRINTERS

**SL-M2070** 20ppm

**SL-M2070W** 20ppm

**SL-M2675FN** 26ppm

**SL-M2875FD** 28ppm

**SL-M2885FW** 28ppm



### Work smart on the go

Samsung SMART Printing Solutions provide businesses with end-to-end office connectivity that enable smart devices and printers to easily and seamlessly work together. Using Samsung NFC Print, the Samsung MobilePrint app connects a smart device to a printer with a simple tap without skipping a beat.



### Samsung NFC Print: Tap, print and go

Workers can simply tap their smart devices<sup>1</sup> to print, scan or fax to a MFP with the Samsung MobilePrint app on their mobile devices<sup>1</sup> thanks to Samsung NFC Print.

### One Touch Eco Button

Businesses can lower toner and paper usage with the One Touch Eco Button. The One Touch Eco Button automatically activates 2-up printing (two pages on the same side) and duplex printing (printing on both sides). Users can also choose the option to skip blank pages in the toner-saving mode. These eco settings can be adjusted using Easy Printer Manager.



### High-speed printing and image processing

Businesses can accelerate workflow with the high-speed Xpress M2885FW. The Xpress M2885FW delivers print speeds of 28 ppm in A4. These robust MFPs are designed to handle large, complex print jobs with Samsung's advanced 600 MHz ARM® Cortex™-A5 core processor and 128 MB memory. Plus, an embedded image processor enables rapid processing of scans.



### Easy Eco Driver

Easy Eco Driver software, granted the 2012 Outstanding Achievement in Innovation award from Buyers Laboratory (BLI), saves users up to 20 percent on toner. The software also reduces energy consumption. Users have the option of removing images, converting them from bitmap to sketch and removing text to save toner using the toner-saving mode.



<sup>1</sup> Mobile devices need to support NFC.



A4 Mono Printers	<b>SL-M2026</b>	<b>SL-M2026W</b>
Format	A4	A4
Speed	20ppm	20ppm
User Interface Type	LED	LED
FPOT	Less than 8.5 seconds	Less than 8.5 seconds
Print Resolution	1,200 x 1,200dpi	1,200 x 1,200dpi
Duplex	Manual	Manual
Processor	400MHz	400MHz
Memory	8MB	8MB
Printer Languages	GDI	GDI
Paper Capacity	Cassette – 150 Sheets	Cassette – 150 Sheets
Connectivity	USB 2.0	USB 2.0, Wireless 802.11 b/g/n, Wi-Fi Direct, NFC
Compatibility	Windows8, Window8.1, Windows7, 2000, XP, 2003, Vista, 2008 Server, 2008 Server R2, 2012 Server Red Hat Enterprise Linux 5, 6 Fedora 11, 12, 13, 14, 15, 16, 17, 18 openSUSE 11.0, 11.1, 11.2, 11.3, 11.4, 12.1, 12.2, 12.3 Ubuntu 10.04, 10.10, 11.04, 11.10, 12.04, 12.10 SUSE Linux Enterprise Desktop 10, 11 Debian 5.0, 6.0; Mint 13, 14; Mac 10.5~10.9	Windows8, Window8.1, Windows7, 2000, XP, 2003, Vista, 2008 Server, 2008 Server R2, 2012 Server Red Hat Enterprise Linux 5, 6 Fedora 11, 12, 13, 14, 15, 16, 17, 18 openSUSE 11.0, 11.1, 11.2, 11.3, 11.4, 12.1, 12.2, 12.3 Ubuntu 10.04, 10.10, 11.04, 11.10, 12.04, 12.10 SUSE Linux Enterprise Desktop 10, 11 Debian 5.0, 6.0; Mint 13, 14; Mac 10.5~10.9
Monthly Duty Cycle	10,000	10,000
Weight	3.97kg	3.97kg
Dimensions (WxDxH)	331 x 215 x 178mm (without tray)	331 x 215 x 178mm (without tray)
Blue Angel	-	-
Energy Star	Yes	Yes
Supplies	MLT-D111S/ELS - Black Toner, Yield 1,000	MLT-D111S/ELS - Black Toner, Yield 1,000
Standard Warranty	1 Year Warranty	1 Year Warranty

Photos are for illustrative purposes only. Options and Supplies will need to be purchased separately. Specifications could be subject to change on certain models.

A4 Mono Printers	<b>SL-M2825ND</b>	<b>SL-M2835DW</b>
Format	A4	A4
Speed	28ppm	28ppm
User Interface Type	LED	LED
FPOT	Less than 8.5 seconds	Less than 8.5 seconds
Print Resolution	4,800 x 600dpi	4,800 x 600dpi
Duplex	Standard	Standard
Processor	600MHz	600MHz
Memory	128MB	128MB
Printer Languages	SPL, PCL5e, PCL6	SPL, PCL5e, PCL6
Paper Capacity	Cassette – 250 Sheets Multi-Purpose Tray – 1 Sheet	Cassette – 250 Sheets Multi-Purpose Tray – 1 Sheet
Connectivity	USB 2.0, Ethernet 10/100 Base Tx	USB 2.0, Ethernet 10/100 Base TX, Wireless 802.11 b/g/n, Wi-Fi Direct, NFC
Compatibility	Windows 8, 7, Vista, XP, 2008R2, 2008, 2003 Linux RedHat Enterprise WS 4, 5, 6 Fedora 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15 OpenSuSE 10.2, 10.3, 11.0, 11.1, 11.2, 11.3, 11.4 Mandriva 2007, 2008, 2009, 2009.1, 2010 Ubuntu 6.06, 6.10, 7.04, 7.10, 8.04, 8.10, 9.04, 9.10, 10.04, 10.10, 11.04 SuSE Linux Enterprise Desktop 10, 11 Debian 4.0, 5.0, 6.0 UNIX Sun Solaris 9,10,11 HP-UX 11.0, 11i v1, 11i v2, 11i v3; IBM AIX 5.1, 5.2, 5.3, 5.4, 6.1, .7.1 Mac OS X 10.5~10.8	Windows 8, 7, Vista, XP, 2008R2, 2008, 2003 Linux RedHat Enterprise WS 4, 5, 6 Fedora 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15 OpenSuSE 10.2, 10.3, 11.0, 11.1, 11.2, 11.3, 11.4 Mandriva 2007, 2008, 2009, 2009.1, 2010 Ubuntu 6.06, 6.10, 7.04, 7.10, 8.04, 8.10, 9.04, 9.10, 10.04, 10.10, 11.04 SuSE Linux Enterprise Desktop 10, 11 Debian 4.0, 5.0, 6.0 UNIX Sun Solaris 9,10,11 HP-UX 11.0, 11i v1, 11i v2, 11i v3; IBM AIX 5.1, 5.2, 5.3, 5.4, 6.1, .7.1 Mac OS X 10.5~10.8
Monthly Duty Cycle	12,000	12,000
Weight	7.40kg	7.40kg
Dimensions (WxDxH)	368 x 334.5 x 202mm	368 x 334.5 x 202mm
Blue Angel	Yes	Yes
Energy Star	Yes	Yes
Supplies	MLT-D116S/ELS - Black Toner, Standard Yield 1,200 MLT-D116S/ELS - Black Toner, High Yield 3,000 MLT-R116/SEE - OPC Drum, Yield 9,000	MLT-D116S/ELS - Black Toner, Standard Yield 1,200 MLT-D116S/ELS - Black Toner, High Yield 3,000 MLT-R116/SEE - OPC Drum, Yield 9,000
Standard Warranty	1 Year Warranty	1 Year Warranty



A4 Mono Printers	<b>SL-M2070</b>	<b>SL-M2070W</b>
Format	A4	A4
Speed	20ppm	20ppm
User Interface Type	2 Line LCD	2 Line LCD
FPOT	Less than 8.5 seconds	Less than 8.5 seconds
Print Resolution	1,200 x 1,200dpi	1,200 x 1,200dpi
Duplex	Manual	Manual
Processor	600MHz	600MHz
Memory	128MB	128MB
Printer Languages	SPL	SPL
Fax	-	-
Scan	Scan to PC	Scan to PC
Paper Capacity	Cassette – 150 sheets	Cassette – 150 sheets
Document Feeder	-	-
Connectivity	USB 2.0	USB 2.0, Wireless 802.11 b/g/n, Wi-Fi Direct, NFC
Compatibility	Windows 8, 8.1, 7, 2000, XP, 2003, Vista, 2008, 2008R2, 2012 Linux Red Hat Enterprise 5, 6 Fedora 11, 12, 13, 14, 15, 16, 17, 18 openSUSE 11.0, 11.1, 11.2, 11.3, 11.4, 12.1, 12.2, 12.3 Ubuntu 10.04, 10.10, 11.04, 11.10, 12.04, 12.10 SUSE Linux Enterprise Desktop 10, 11 Debian 5.0, 6.0 Mint 13, 14 Mac OS X 10.5~10.9	Windows 8, 8.1, 7, 2000, XP, 2003, Vista, 2008, 2008R2, 2012 Linux Red Hat Enterprise 5, 6 Fedora 11, 12, 13, 14, 15, 16, 17, 18 openSUSE 11.0, 11.1, 11.2, 11.3, 11.4, 12.1, 12.2, 12.3 Ubuntu 10.04, 10.10, 11.04, 11.10, 12.04, 12.10 SUSE Linux Enterprise Desktop 10, 11 Debian 5.0, 6.0 Mint 13, 14 Mac OS X 10.5~10.9
Monthly Duty Cycle	10,000	10,000
Weight	7.32kg	7.40kg
Dimensions (WxDxH)	406 x 359.6 x 253mm (without tray)	406 x 359.6 x 253mm (without tray)
Blue Angel	-	-
Energy Star	Yes	Yes
Supplies	MLT-D111S/ELS - Black Toner, Yield 1,000	MLT-D111S/ELS - Black Toner, Yield 1,000
Standard Warranty	1 Year Warranty	1 Year Warranty

Photos are for illustrative purposes only. Options and Supplies will need to be purchased separately. Specifications could be subject to change on certain models.

A4 Mono Printers	<b>SL-M2675FN</b>	<b>SL-M2875FD</b>	<b>SL-M2885FW</b>
Format	A4	A4	A4
Speed	26ppm	28ppm	28ppm
User Interface Type	2 Line LCD	2 Line LCD	2 Line LCD
FPOT	Less than 8.5 seconds	Less than 8.5 seconds	Less than 8.5 seconds
Print Resolution	4,800 x 600dpi	4,800 x 600dpi	4,800 x 600dpi
Duplex	Manual	Standard	Standard
Processor	600MHz	600MHz	600MHz
Memory	128MB	128MB	128MB
Printer Languages	SPL	PCL6, PCL5e, SPL	PCL6, PCL5e, SPL
Fax	Standard	Standard	Standard
Scan	Scan to PC	Scan to PC	Scan to PC
Paper Capacity	Cassette – 250 Sheets Multi-Purpose Tray – 1 Sheet	Cassette – 250 Sheets Multi-Purpose Tray – 1 Sheet	Cassette – 250 Sheets Multi-Purpose Tray – 1 Sheet
Document Feeder	ADF - 40 Sheet	ADF - 40 Sheet	ADF - 40 Sheet
Connectivity	USB 2.0, Ethernet 10/100 Base TX	USB 2.0, Ethernet 10/100 Base TX	USB 2.0, Ethernet 10/100 Base TX, Wireless 802.11 b/g/n, Wi-Fi Direct, NFC
Compatibility	Windows 8, 7, Vista, XP, 2008R2, 2008, 2003 Linux Red Hat Enterprise Linux WS 4, 5, 6 Fedora 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15 OpenSUSE 10.2, 10.3, 11.0, 11.1, 11.2, 11.3, 11.4 Ubuntu 2007, 2008, 2009, 2009.1, 2010 Ubuntu 6.06, 6.10, 7.04, 7.10, 8.04, 8.10, 9.04, 9.10, 10.04, 10.10, 11.04 SuSE Linux Enterprise Desktop 10, 11 Debian 4.0, 5.0, 6.0; UNIX un Solaris 9,10,11 HP-UX 11.0, 11i v1, 11i v2, 11i v3 IBM AIX 5.1, 5.2, 5.3, 5.4, 6.1, 7.1; Mac OS X 10.5~10.8	Windows 8, 7, Vista, XP, 2008R2, 2008, 2003 Linux Red Hat Enterprise Linux WS 4, 5, 6 Fedora 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15 OpenSUSE 10.2, 10.3, 11.0, 11.1, 11.2, 11.3, 11.4 Mandriva 2007, 2008, 2009, 2009.1, 2010 Ubuntu 6.06, 6.10, 7.04, 7.10, 8.04, 8.10, 9.04, 9.10, 10.04, 10.10, 11.04 Ubuntu 6.06, 6.10, 7.04, 7.10, 8.04, 8.10, 9.04, 9.10, 10.04, 10.10, 11.04 SuSE Linux Enterprise Desktop 10, 11 Debian 4.0, 5.0, 6.0; UNIX un Solaris 9,10,11 HP-UX 11.0, 11i v1, 11i v2, 11i v3 IBM AIX 5.1, 5.2, 5.3, 5.4, 6.1, 7.1; Mac OS X 10.5~10.8	Windows 8, 7, Vista, XP, 2008R2, 2008, 2003 Linux Red Hat Enterprise Linux WS 4, 5, 6 Fedora 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15 OpenSUSE 10.2, 10.3, 11.0, 11.1, 11.2, 11.3, 11.4 Mandriva 2007, 2008, 2009, 2009.1, 2010 Ubuntu 6.06, 6.10, 7.04, 7.10, 8.04, 8.10, 9.04, 9.10, 10.04, 10.10, 11.04 SuSE Linux Enterprise Desktop 10, 11 Debian 4.0, 5.0, 6.0; UNIX un Solaris 9,10,11 HP-UX 11.0, 11i v1, 11i v2, 11i v3 IBM AIX 5.1, 5.2, 5.3, 5.4, 6.1, 7.1; Mac OS X 10.5~10.8
Monthly Duty Cycle	12,000	12,000	12,000
Weight	11.1kg	11.3kg	11.3kg
Dimensions (WxDxH)	401 x 362 x 367mm	401 x 362 x 367mm	401 x 362 x 367mm
Blue Angel	-	Yes	Yes
Energy Star	Yes	Yes	Yes
Supplies	MLT-D116S/ELS - Black Standard Toner, Yield 1,200 MLT-D116L/ELS - Black High Toner, Yield 3,000 MLT-R116/SEE - OPC Drum, Yield 9,000	MLT-D116S/ELS - Black Standard Toner, Yield 1,200 MLT-D116L/ELS - Black High Toner, Yield 3,000 MLT-R116/SEE - OPC Drum, Yield 9,000	MLT-D116S/ELS - Black Standard Toner, Yield 1,200 MLT-D116L/ELS - Black High Toner, Yield 3,000 MLT-R116/SEE - OPC Drum, Yield 9,000
Standard Warranty	1 Year Warranty	1 Year Warranty	1 Year Warranty

# Small / Medium Business

## Colour Printers

Manageable, cost effective and versatile colour printing

Cost effective colour printing solutions designed for small to medium businesses.

### SINGLE FUNCTION PRINTERS

**CLP-680ND 24ppm**

**CLP-680DW 24ppm**

**SL-C2620DW 26ppm**

**CLP-775ND 33ppm**

### MULTI-FUNCTION PRINTERS

**CLX-6260ND 24ppm**

**CLX-6260FW 24ppm**

**SL-C2670FW 26ppm**



### Secure, confidential printing

This feature enables users to release documents only when they enter their pin code at the MFP, ensuring confidentiality and security is kept to a maximum.



### Get in touch with easy printing

From liquid crystal to colour LCD touch screens, our displays enable you to control the device's browse menu quickly and easily, providing you with the functionality you need.



### Faster printing and productivity

Powerful dual core processors combined with 1Gigabit LAN support enables large documents from multiple users to be received, processed and printed quickly.



### Easy toner replacement

Our MFPs feature easy to change, front or top loading toner, providing an effortless user maintenance experience, and by using our high yield all-in-one toner cartridges, you will save both time and money.



### Business colour printing at its best

With the power to handle the demands of accurate colour printing with absolute ease, Samsung colour MFP printers deliver high quality whenever you need it. With our enhanced CTD sensor we ensure that colour output is always clear, sharp and professional.



### One touch eco solution

The ECO button lets you save paper, energy and reduce toner usage, plus the unique Samsung Result Simulator provides a graphic representation of your savings on your Carbon Footprint, power consumption and paper usage, dependent on the criteria you select.



A4 Colour Printers	<b>CLP-680ND</b>	<b>CLP-680DW</b>
Format	A4	A4
Speed	24ppm	24ppm
User Interface Type	2 Line LCD	2 Line LCD
FPOT	Less than 17 seconds	Less than 17 seconds
Print Resolution	9,600 x 600dpi	9,600 x 600dpi
Duplex	Standard	Standard
Processor	Dual Core 533MHz	Dual Core 533MHz
Memory	Std 256MB/ Max 512MB	Std 256MB/ Max 512MB
Printer Languages	SPLC, PCL5Ce, PCL6C, PS3, PDF V1.7	SPLC, PCL5Ce, PCL6C, PS3, PDF V1.7
Paper Capacity	Cassette – 250 Sheets Multi-Purpose Tray – 50 Sheets Max Paper Capacity – 820 Sheets	Cassette – 250 Sheets Multi-Purpose Tray – 50 Sheets Max Paper Capacity – 820 Sheets
Connectivity	USB 2.0, Ethernet 10/100/1000 Base Tx	USB 2.0, Ethernet 10/100 Base TX, Wireless 802.11 b/g/n
Compatibility	Windows XP, 2003, Vista, 2008, 7, 2008R2 RedHat Enterprise Linux WS 4, 5 Fedora 5~13 SuSE Linux 10.1 OpenSuSE 10.2, 10.3, 11.0, 11.1, 11.2 Mandriva 2007, 2008, 2009, 2009.1, 2010 Ubuntu 6.06, 6.10, 7.04, 7.10, 8.04, 8.10, 9.04, 9.10, 10.04 SuSE Linux Enterprise Desktop 10, 11 Debian 4.0, 5.0 UNIX Sun Solaris 9, 10 HP-UNIX 11.0, 11iv1, 11iv2, 11iv3; IBM AIX 5.1, 5.2, 5.3, 5.4 Mac OS X 10.4~10.7	Windows XP, 2003, Vista, 2008, 7, 2008R2 RedHat Enterprise Linux WS 4, 5 Fedora 5~13 SuSE Linux 10.1 OpenSuSE 10.2, 10.3, 11.0, 11.1, 11.2 Mandriva 2007, 2008, 2009, 2009.1, 2010 Ubuntu 6.06, 6.10, 7.04, 7.10, 8.04, 8.10, 9.04, 9.10, 10.04 SuSE Linux Enterprise Desktop 10, 11 Debian 4.0, 5.0 UNIX Sun Solaris 9, 10 HP-UNIX 11.0, 11iv1, 11iv2, 11iv3; IBM AIX 5.1, 5.2, 5.3, 5.4 Mac OS X 10.4~10.7
Monthly Duty Cycle	60,000	60,000
Weight	20.15kg	20.15kg
Dimensions (WxDxH)	420 x 452.5 x 311.3mm	420 x 452.5 x 311.3mm
Blue Angel	Yes	Yes
Energy Star	Yes	Yes
Supplies	CLT-C506S/ELS - Cyan Standard Toner, Yield 1,500 CLT-C506L/ELS - Cyan High Toner, Yield 3,500 CLT-M506S/ELS - Magenta Standard Toner, Yield 1,500 CLT-M506L/ELS - Magenta High Toner, Yield 3,500 CLT-Y506S/ELS - Yellow Standard Toner, Yield 1,500 CLT-K506S/ELS - Black Standard Toner, Yield 2,000 CLT-K506L/ELS - Black High Toner, Yield 6,000 CLT-W506/SEE - Waste Toner Bottle, Yield 3,500 / 14,000	CLT-C506S/ELS - Cyan Standard Toner, Yield 1,500 CLT-C506L/ELS - Cyan High Toner, Yield 3,500 CLT-M506S/ELS - Magenta Standard Toner, Yield 1,500 CLT-M506L/ELS - Magenta High Toner, Yield 3,500 CLT-Y506S/ELS - Yellow Standard Toner, Yield 1,500 CLT-K506S/ELS - Black Standard Toner, Yield 2,000 CLT-K506L/ELS - Black High Toner, Yield 6,000 CLT-W506/SEE - Waste Toner Bottle, Yield 3,500 / 14,000
Standard Warranty	1 Year Warranty	1 Year Warranty

Photos are for illustrative purposes only. Options and Supplies will need to be purchased separately. Specifications could be subject to change on certain models.

A4 Colour Printers	<b>SL-C2620DW</b>	<b>CLP-775ND</b>
Format	A4	A4
Speed	26ppm	33ppm
User Interface Type	4.3" Touch Screen Panel	4 Line LCD
FPOT	Less than 17 seconds	Less than 11 seconds
Print Resolution	9,600 x 600dpi	9,600 x 600dpi
Duplex	Standard	Standard
Processor	Dual Core 533MHz	Dual Core 600MHz
Memory	Std 256MB/ Max 512MB	Std 384MB/ Max 896MB
Printer Languages	SPLC, PCL5Ce, PCL6, PS, PDF, XPS	PostScript 3, PCL5e, PCL6, PDF 1.7
Paper Capacity	Cassette – 250 Sheets Multi-Purpose Tray – 50 Sheets Max Paper Capacity – 820 Sheets	Cassette – 500 Sheets Multi-Purpose Tray – 100 Sheets Max Paper Capacity – 1,600 Sheets
Connectivity	USB 2.0, Ethernet 10/100/1000 Base Tx, Wireless 802.11b/g/n Passive NFC	USB 2.0, Ethernet 10/100/1000 Base Tx, Wireless 802.11b/g/n Optional Wireless 802.11b/g & 1284 Parallel Connector
Compatibility	Windows XP, 2003, Vista, 2008, 7, 2008R2 RedHat Enterprise Linux WS 4, 5 Fedora 5~13 SuSE Linux 10.1 OpenSuSE 10.2, 10.3, 11.0, 11.1, 11.2 Mandriva 2007, 2008, 2009, 2009.1, 2010 Ubuntu 6.06, 6.10, 7.04, 7.10, 8.04, 8.10, 9.04, 9.10, 10.04 SuSE Linux Enterprise Desktop 10, 11 Debian 4.0, 5.0 UNIX Sun Solaris 9, 10 HP-UNIX 11.0, 11iv1, 11iv2, 11iv3; IBM AIX 5.1, 5.2, 5.3, 5.4 Mac OS X 10.4~10.7	Windows 8, 7, 2008, Vista, 2003, XP, 2000 RedHat Enterprise Linux WS 4, 5 Fedora 5, 6, 7, 8, 9, 10, 11, 12, 13 SuSE Linux 10.1 OpenSuSE 10.2, 10.3, 11.0, 11.1, 11.2 Mandriva 2007, 2008, 2009, 2009.1, 2010 Ubuntu 6.06, 6.10, 7.04, 7.10, 8.04, 8.10, 9.04, 9.10, 10.04 SuSE Linux Enterprise Desktop 10, 11 Debian 4.0, 5.0 Sun Solaris 9, 10 HP-UX 11.0, 11iv1, 11iv2, 11iv3; IBM AIX 5.1, 5.2, 5.3, 5.4 Mac OS X 10.4~10.8
Monthly Duty Cycle	60,000	120,000
Weight	20.13kg	30.40kg
Dimensions (WxDxH)	420 x 452.5 x 353.3mm	446 x 481 x 464mm
Blue Angel	Yes	Yes
Energy Star	Yes	Yes
Supplies	CLT-C506L/ELS - Cyan Toner , Yield 3,500 CLT-M505L/ELS - Magenta Toner, Yield 3,500 CLT-Y505L/ELS - Yellow Toner, Yield 3,500 CLT-K505L/ELS - Black Toner, Yield 6,000 CLT-W506/SEE - Waste Toner Bottle, Yield 3,500 / 14,000	CLT-C6092/ELS - Cyan Toner, Yield 7,000 CLT-M6092S/ELS - Magenta Toner, Yield 7,000 CLT-Y6092S/ELS - Yellow Toner, Yield 7,000 CLT-K6092S/ELS - Black Toner, Yield 7,000 CLT-W506/SEE - Waste Toner Bottle, Yield 3,500 / 14,000 CLT-T508/SEE - Image Transfer Belt, Yield 50,000
Standard Warranty	1 Year Warranty	1 Year Warranty



A4 Colour Printers	<b>CLX-6260ND</b>	<b>CLX-6260FW</b>
Format	A4	A4
Speed	24ppm	24ppm
User Interface Type	4 Line LCD	4.3" Colour LCD Touch Screen
FPOT	Less than 17 seconds	Less than 17 seconds
Print Resolution	9,600 x 600dpi	9,600 x 600dpi
Duplex	Standard	Standard
Processor	533MHz	Dual Core 533MHz
Memory	Std 512MB/ Max 1GB	Std 512MB/ Max 1GB
Printer Languages	SPLC, PCL5Ce, PCL6C, PS3, PDF V1.7	SPLC, PCL5Ce, PCL6C, PS3, PDF V1.7
Fax	-	Standard
Scan	Scan to USB, Email, SMB, FTP, PC, WSD	Scan to USB, Email, SMB, FTP, PC, WSD
Paper Capacity	Cassette – 250 Sheets Multi-Purpose Tray – 50 Sheets Max Paper Capacity – 820 Sheets	Cassette - 250 Sheets Multi-Purpose Tray - 50 Sheets Max Paper Capacity - 820 Sheets
Document Feeder	ADF - 50-Sheet	ADF - 50-Sheet
Connectivity	USB 2.0, Ethernet 10/100/1000 Base TX Optional 1284B parallel printing port	USB 2.0, Ethernet 10/100/1000 Base TX, Wireless 802.11b/g/n Optional 1284B parallel printing port
Compatibility	Windows XP, 2003, Vista, 2008, 7, 2008R2 RedHat Enterprise Linux WS 4, 5 Fedora 5~13 SuSE Linux 10.1 OpenSuSE 10.2, 10.3, 11.0, 11.1, 11.2 Mandriva 2007, 2008, 2009, 2009.1, 2010 Ubuntu 6.06, 6.10, 7.04, 7.10, 8.04 8.10, 9.04, 9.10, 10.04 SuSE Linux Enterprise Desktop 10, 11 Debian 4.0, 5.0; Sun Solaris 9, 10 HP-UNIX 11.0, 11i v1, 11i v2, 11i v3; IBM AIX 5.1, 5.2, 5.3, 5.4 Mac OS X 10.4~ 10.7	Windows XP, 2003, Vista, 2008, 7, 2008R2 Red Hat Enterprise Linux WS 4, 5 Fedora 5~13 SuSE Linux 10.1 OpenSuSE 10.2, 10.3, 11.0, 11.1, 11.2 Mandriva 2007, 2008, 2009, 2009.1, 2010 Ubuntu 6.06, 6.10, 7.04, 7.10, 8.04 8.10, 9.04, 9.10, 10.04 SuSE Linux Enterprise Desktop 10, 11 Debian 4.0, 5.0; Sun Solaris 9, 10 HP-UNIX 11.0, 11i v1, 11i v2, 11i v3; IBM AIX 5.1, 5.2, 5.3, 5.4 Mac OS X 10.4~ 10.7
Monthly Duty Cycle	60,000	60,000
Weight	26.7kg	26.7kg
Dimensions (WxDxH)	420 x 452.5 x 476.8mm	469 x 452.5 x 504.3mm
Blue Angel	Yes	Yes
Energy Star	Yes	Yes
Supplies	CLT-C506S/ELS - Cyan Standard Toner, Yield 1,500 CLT-C506L/ELS - Cyan High Toner, Yield 3,500 CLT-M506S/ELS - Magenta Standard Toner, Yield 1,500 CLT-M506L/ELS - Magenta High Toner, Yield 3,500 CLT-Y506S/ELS - Yellow Standard Toner, Yield 1,500 CLT-K506S/ELS - Black Standard Toner, Yield 2,000 CLT-K506L/ELS - Black High Toner, Yield 6,000 CLT-W506/SEE - Waste Toner Bottle, Yield 3,500 / 14,000	CLT-C506S/ELS - Cyan Standard Toner, Yield 1,500 CLT-C506L/ELS - Cyan High Toner, Yield 3,500 CLT-M506S/ELS - Magenta Standard Toner, Yield 1,500 CLT-M506L/ELS - Magenta High Toner, Yield 3,500 CLT-Y506S/ELS - Yellow Standard Toner, Yield 1,500 CLT-K506S/ELS - Black Standard Toner, Yield 2,000 CLT-K506L/ELS - Black High Toner, Yield 6,000 CLT-W506/SEE - Waste Toner Bottle, Yield 3,500 / 14,000
Standard Warranty	1 Year Warranty	1 Year Warranty

A4 ColourPrinters	<b>SL-C2670FW</b>
Format	A4
Speed	26ppm
User Interface Type	4.3" LCD Touchscreen
FPOT	Less than 17 seconds
Print Resolution	9,600 x 600dpi
Duplex	Standard
Processor	Dual Core 533MHz
Memory	Std 512MB/ Max 1GB
Printer Languages	PCL5Ce, PCL6C, PS3, PDF V1.7, SPL-C
Fax	Standard
Scan	Scan to SD Card, USB, Email, SMB, FTP, PC, WSD
Paper Capacity	Cassette – 250 Sheets Multi-Purpose Tray – 50 Sheets Max Paper Capacity – 820 Sheets
Document Feeder	50-Sheet – ADF
Connectivity	USB 2.0, USB Host, Ethernet 10/1000 Base-TX, Wireless 802.11 b/g/n , Passive NFC
Compatibility	Windows XP, 2003, Vista, 2008, 7, 2008R2, 8, Windows 8.1, 2012, 2012R2 Red Hat Enterprise Linux 5, 6; Fedora 11, 12, 13, 14, 15, 16, 17, 18, 19 openSUSE 11.0, 11.1, 11.2, 11.3, 11.4, 12.1, 12.2, 12.3 Ubuntu 10.04, 10.10, 11.04, 11.10, 12.04, 12.10, 13.04 SUSE Linux Enterprise Desktop 10, 11 Debian 5.0, 6.0, 7.0, 7.1 Mint 13, 14, 15 Sun Solaris 9, 10, 11 HP-UX 11.0, 11i v1, 11i v2, 11i v3 IBM AIX 5.1, 5.2, 5.3, 5.4, 6.1, 7.1 Mac OS X 10.5~ 10.9
Monthly Duty Cycle	60,000
Weight	26.62kg
Dimensions (WxDxH)	469 x 452.5 x 504.3mm
Blue Angel	Yes
Energy Star	Yes
Supplies	CLT-C506L/ELS - Cyan Toner , Yield 3,500 CLT-M505L/ELS - Magenta Toner, Yield 3,500 CLT-Y505L/ELS - Yellow Toner, Yield 3,500 CLT-K505L/ELS - Black Toner, Yield 6,000 CLT-W506/SEE - Waste Toner Bottle, Yield 3,500 / 14,000
Standard Warranty	1 Year Warranty

Photos are for illustrative purposes only. Options and Supplies will need to be purchased separately. Specifications could be subject to change on certain models.

# Small / Medium Business

## Mono Printers

Manageable, cost effective and versatile mono printing

Cost effective mono printing solutions designed for small to medium businesses.

### SINGLE FUNCTION PRINTERS

**SL-M3320ND 33ppm**

**SL-M3820ND 38ppm**

**SL-M4020ND 40ppm**

**ML-5015ND 48ppm**

**ML-5515ND 52ppm**

**ML-6515ND 62ppm**

### MULTI-FUNCTION PRINTERS

**SL-M3370FD 33ppm**

**SL-M3870FW 38ppm**

**SL-M4070FR 40ppm**

**SL-M4580FX 45ppm**



### Built-in duplex printing

ProXpress series provides professional two-sided documents, brochures, and booklets with ease, which can also help save money and reduce paper use.



### Convenient mobile printing optimised for various business environments

Samsung MobilePrint application helps employees wirelessly print from their mobile devices. Users do not need to install a new driver or configure network settings. Office workers can simply download the MobilePrint application from the Google® Play store for Android™ and the Apple Store® for iOS®.


After downloading the application, the mobile device automatically detects nearby, compatible Samsung printers. The ProXpress series3 can handle almost any type of file, including text documents, images and web pages.



### Enterprise-level document security

Businesses produce and print numerous official documents including confidential information, which requires high security on the printing jobs.

ProXpress series offer greater control of user, document and network access with Samsung SyncThru™ Admin at the enterprise security level.



### Easy connection

Users can print wirelessly from mobile devices, such as smartphones, tablets, and PCs. Wi-Fi Direct connection allows devices connected to the available Samsung ProXpress printers around even without an access point or Wi-Fi router.





A4 Mono Printers	<b>SL-M3320ND</b>	<b>SL-M3820ND</b>	<b>SL-M4020ND</b>	<b>ML-5015ND</b>	<b>ML-5515ND</b>	<b>ML-6515ND</b>	A4 Mono Printers
Format	A4	A4	A4	A4	A4	A4	Format
Speed	33ppm	38ppm	40ppm	48ppm	52ppm	62ppm	Speed
User Interface Type	-	2 Line LCD	2 Line LCD	4.3" Colour Touch LCD	4-Line LCD with Numeric Keyboard	4-Line LCD with Numeric Keyboard	User Interface Type
FPOT	Less than 6.5 seconds	Less than 6.5 seconds	Less than 6.5 seconds	Less than 7 seconds	Less than 7.8 seconds	Less than 7.8 seconds	FPOT
Print Resolution	1200 x 600dpi	1200 x 600dpi	1200 x 600dpi	1200 x 1200	1200 x 1200dpi	1200 x 1200dpi	Print Resolution
Duplex	Standard	Standard	Standard	Standard	Standard	Standard	Duplex
Processor	600MHz	600MHz	600MHz	Dual Core 600MHz	600MHz	600MHz	Processor
Memory	128MB (MAX 512MB)	128MB (Max 512MB)	256MB (Max 512MB)	128MB (Max 768MB) / Optional 250GB HDD	256MB (Max 768MB) / Optional 250GB HDD	256MB (Max 768MB) / Optional 250GB HDD	Memory
Printer Languages	SPL, PCL6, PS3, PCL5e, IBM Proprint, EPSON, PDF V1.7	SPL, PCL6, PS3, PCL5e, IBM Proprint, EPSON, PDF V1.7	SPL, PCL6, PS3, PCL5e, IBM Proprint, EPSON, PDF V1.7	PCL5e, PCL6, IBM ProPrinter, EPSON, PostScript3, PDF Direct V1.7, XPS v1.0	PCL5e, PCL6, KS/KSSM, KS5895, IBM ProPrinter, EPSON, PostScript3, PDF Direct V1.7, XPS v1.0	PCL5e, PCL6, KS/KSSM, KS5895, IBM ProPrinter, EPSON, PostScript3, PDF Direct V1.7, XPS v1.0	Printer Languages
Paper Capacity	Cassette – 250 Sheets Multi-Purpose Tray – 1 Sheet	Cassette – 250 Sheets Multi-Purpose Tray – 50 Sheets	Cassette – 250 Sheets Multi-Purpose Tray – 50 Sheets Max Paper Capacity – 820 Sheets	Cassette – 520 Sheets Multi-Purpose Tray – 100 Sheets Max Paper Capacity – 2700 Sheets	Cassette – 520 Sheets Multi-Purpose Tray – 100 Sheets Max Paper Capacity – 3,660 Sheets	Cassette – 520 Sheets Multi-Purpose Tray – 100 Sheets Max Paper Capacity – 3,660 Sheets	Paper Capacity
Connectivity	USB 2.0, Ethernet 10/100 Base TX (Internal)	USB 2.0, Ethernet 10/100 Base TX (Internal)	USB 2.0, Ethernet 10/100/1000 Base TX (Internal)	USB 2.0, Ethernet 10/100/1000 Base TX Optional IEEE 1284b Parallel Connection	USB 2.0, Ethernet 10/100/1000 Base TX Optional IEEE 1284b Parallel Connection	USB 2.0, Ethernet 10/100/1000 Base TX Optional IEEE 1284b Parallel Connection	Connectivity
Compatibility	Windows XP, 2003, Vista, 2008, 7, 2008R2, 8; RedHat Enterprise Linux WS 4, 5, 6 Fedora 5, 6, 7; 8, 9, 10, 11, 12, 13, 14, 15; OpenSuSE 10.2, 10.3, 11.0, 11.1, 11.2, 11.3, 11.4 Mandriva 2007, 2008, 2009, 2010; Ubuntu 6.06, 6.10, 7.04, 7.10, 8.04, 8.10, 9.04, 9.10, 10.04, 10.10, 11.04; SuSE Linux Enterprise Desktop 10, 11; Debian 4.0, 5.0, 6.0; Sun Solaris 9,10,11; HP-UX 11.0, 11i v1, 11i v2, 11i v3; IBM AIX 5.1, 5.2, 5.3, 5.4, 6.1, 7.1; Mac OS X 10.5~10.8	Windows XP, 2003, Vista, 2008, 7, 2008R2, 8; RedHat Enterprise Linux WS 4, 5, 6 Fedora 5, 6, 7; 8, 9, 10, 11, 12, 13, 14, 15; OpenSuSE 10.2, 10.3, 11.0, 11.1, 11.2, 11.3, 11.4 Mandriva 2007, 2008, 2009, 2010; Ubuntu 6.06, 6.10, 7.04, 7.10, 8.04, 8.10, 9.04, 9.10, 10.04, 10.10, 11.04; SuSE Linux Enterprise Desktop 10, 11; Debian 4.0, 5.0, 6.0; Sun Solaris 9,10,11; HP-UX 11.0, 11i v1, 11i v2, 11i v3; IBM AIX 5.1, 5.2, 5.3, 5.4, 6.1, 7.1; Mac OS X 10.5~10.8	Windows XP, 2003, Vista, 2008, 7, 2008R2, 8; RedHat Enterprise Linux WS 4, 5, 6 Fedora 5, 6, 7; 8, 9, 10, 11, 12, 13, 14, 15; OpenSuSE 10.2, 10.3, 11.0, 11.1, 11.2, 11.3, 11.4 Mandriva 2007, 2008, 2009, 2010; Ubuntu 6.06, 6.10, 7.04, 7.10, 8.04, 8.10, 9.04, 9.10, 10.04; SuSE Linux Enterprise Desktop 10, 11; Debian 4.0, 5.0, 6.0; Sun Solaris 9,10,11; HP-UX 11.0, 11i v1, 11i v2, 11i v3; IBM AIX 5.1, 5.2, 5.3, 5.4, 6.1, 7.1; Mac OS X 10.5~10.8	Windows 2000, XP, 2003, Vista, 2008, 7, 2008R2, RedHat Enterprise Linux WS 4, 5; Fedora 5, 6, 7, 8, 9, 10, 11, 12, 13 ; SuSE Linux 10.1; OpenSuSE 10.2, 10.3, 11.0, 11.1, 11.2; Mandriva 2007, 2008, 2009, 2010; Ubuntu 6.06, 6.10, 7.04, 7.10, 8.04, 8.10, 9.04; 9.10, 10.04; SuSE Linux Enterprise Desktop 10, 11; Debian 4.0, 5.0; Sun Solaris 9,10; HP-UX 11.0, 11i v1, 11i v2, 11i v3; IBM AIX 5.1, 5.2, 5.3, 5.4; Mac OS X 10.3~10.6	Windows 2000, XP, 2003, Vista, 2008, 7, 2008R2, RedHat Enterprise Linux WS 4, 5; Fedora 5, 6, 7, 8, 9, 10, 11, 12, 13 ; SuSE Linux 10.1; OpenSuSE 10.2, 10.3, 11.0, 11.1, 11.2; Mandriva 2007, 2008, 2009, 2010; Ubuntu 6.06, 6.10, 7.04, 7.10, 8.04, 8.10, 9.04; 9.10, 10.04; SuSE Linux Enterprise Desktop 10, 11; Debian 4.0, 5.0; Sun Solaris 9,10; HP-UX 11.0, 11i v1, 11i v2, 11i v3; IBM AIX 5.1, 5.2, 5.3, 5.4; Mac OS X 10.3~10.6	Windows 2000, XP, 2003, Vista, 2008, 7, 2008R2, RedHat Enterprise Linux WS 4, 5; Fedora 5, 6, 7, 8, 9, 10, 11, 12, 13 ; SuSE Linux 10.1; OpenSuSE 10.2, 10.3, 11.0, 11.1, 11.2; Mandriva 2007, 2008, 2009, 2010; Ubuntu 6.06, 6.10, 7.04, 7.10, 8.04, 8.10, 9.04; 9.10, 10.04; SuSE Linux Enterprise Desktop 10, 11; Debian 4.0, 5.0; Sun Solaris 9,10; HP-UX 11.0, 11i v1, 11i v2, 11i v3; IBM AIX 5.1, 5.2, 5.3, 5.4; Mac OS X 10.3~10.6	Compatibility
Monthly Duty Cycle	50,000	80,000	100,000	200,000	275,000	275,000	Monthly Duty Cycle
Weight	9.86kg	10.18kg	10.18kg	22.96kg	34.8kg	34.8kg	Weight
Dimensions (WxDxH)	366 x 365.6 x 262.5mm	366 x 365.6 x 262.5mm	366 x 365.6 x 262.5mm	418 x 435 x 358mm	464 x 540 x 420mm	464 x 540 x 420mm	Dimensions (WxDxH)
Finishing Options	SL-SCF3800/SEE - Second Paper Cassette ML-PAR100/SEE - IEEE-1284 Parallel Connector ML-MEM370/SEE - 512MB Memory Upgrade	SL-SCF3800/SEE - Second Paper Cassette ML-PAR100/SEE - IEEE-1284 Parallel Connector ML-MEM370/SEE - 512MB Memory Upgrade	SL-SCF3800/SEE - Second Paper Cassette ML-PAR100/SEE - IEEE-1284 Parallel Connector ML-MEM370/SEE - 512MB Memory Upgrade	ML-S6512A/SEE - Second Paper Cassette (520 Sheets) ML-H6512A/XAA - 2,000 Sheet High Capacity Feeder (Comes as standard with short stand) ML-DSK65S/SEE - 4 Wheel - Short Stand Table ML-MBT65/SEE - 400 Sheet 4 Bin Mailbox ML-OCT65/SEE - 500 Sheet Staple Finisher ML-HDK470/SEE - 250GB Hard Disk Drive ML-MEM170/SEE - 512MB Memory Upgrade ML-NWA65L/SEE - Wireless Network Option ML-PAR100/SEE - IEEE-1284 Parallel Connector	ML-S6512A/SEE - Second Paper Cassette (520 Sheets) ML-H6512A/XAA - 2,000 Sheet High Capacity Feeder (Comes as standard with short stand) ML-DSK65S/SEE - 4 Wheel - Short Stand Table ML-MBT65/SEE - 400 Sheet 4 Bin Mailbox ML-OCT65/SEE - 500 Sheet Staple Finisher ML-HDK470/SEE - 250GB Hard Disk Drive ML-MEM170/SEE - 512MB Memory Upgrade ML-NWA65L/SEE - Wireless Network Option ML-PAR100/SEE - IEEE-1284 Parallel Connector	ML-S6512A/SEE - Second Paper Cassette (520 Sheets) ML-H6512A/XAA - 2,000 Sheet High Capacity Feeder (Comes as standard with short stand) ML-DSK65S/SEE - 4 Wheel - Short Stand Table ML-MBT65/SEE - 400 Sheet 4 Bin Mailbox ML-OCT65/SEE - 500 Sheet Staple Finisher ML-HDK470/SEE - 250GB Hard Disk Drive ML-MEM170/SEE - 512MB Memory Upgrade ML-NWA65L/SEE - Wireless Network Option ML-PAR100/SEE - IEEE-1284 Parallel Connector	Finishing Options
Blue Angel	Yes	Yes	Yes	Yes	Yes	Yes	Blue Angel
Energy Star	Yes	Yes	Yes	Yes	Yes	Yes	Energy Star
Supplies	MLT-D203S/ELS - Black Standard Toner, Yield, 3,000 MLT-D203L/ELS - Black High Toner, Yield, 5,000	MLT-D203S/ELS - Black Standard Toner, Yield, 3,000 MLT-D203L/ELS - Black High Toner, Yield, 5,000	MLT-D203S/ELS - Black Standard Toner, Yield, 3,000 MLT-D203L/ELS - Black High Toner, Yield, 5,000	MLT-D307S/ELS - Black Standard Toner, Yield 7,000; MLT-D307L/ELS - Black High Toner, Yield 15,000; MLT-D307E/ELS - Black Extra High Toner, Yield 20,000; MLT-D307U/ELS - Black Ultra High Toner, Yield 30,000; MLT-R307/SEE - OPC Drum, Yield 80,000; ML-PMK65K/SEE - Feed Rollers, Yield 200,000; ML-PMK65K/SEE - Fuser Unit, Yield 150,000; ML-PMK65K/SEE - Transfer Roller, Yield 200,000	MLT-D309S/ELS - Black Standard Toner, Yield 10,000; MLT-D309L/ELS - Black High Toner, Yield 30,000; MLT-D309E/ELS - Black Extra High Toner, Yield 40,000; MLT-P309E/ELS - Black Ultra High Toner, Yield 80,000; MLT-R309/SEE - OPC Drum, Yield 80,000; ML-PMK65K/SEE - Feed Rollers, Yield 200,000; ML-PMK65K/SEE - Fuser Unit, Yield 150,000; ML-PMK65K/SEE - Transfer Roller, Yield 200,000	MLT-D309S/ELS - Black Standard Toner, Yield 10,000; MLT-D309L/ELS - Black High Toner, Yield 30,000; MLT-D309E/ELS - Black Extra High Toner, Yield 40,000; MLT-P309E/ELS - Black Ultra High Toner, Yield 80,000; MLT-R309/SEE - OPC Drum, Yield 80,000; ML-PMK65K/SEE - Feed Rollers, Yield 200,000; ML-PMK65K/SEE - Fuser Unit, Yield 150,000; ML-PMK65K/SEE - Transfer Roller, Yield 200,000	Supplies
Standard Warranty	1 Year Warranty	1 Year Warranty	1 Year Warranty	1 Year Warranty	1 Year Warranty	1 Year Warranty	Standard Warranty

Photos are for illustrative purposes only. Options and Supplies will need to be purchased separately. Specifications could be subject to change on certain models.



A4 Mono Printers	<b>SL-M3370FD</b>	<b>SL-M3870FW</b>
Format	A4	A4
Speed	33ppm	38ppm
User Interface Type	4 Line LCD	4 Line LCD
FPOT	Less than 6.5 seconds	Less than 6.5 seconds
Print Resolution	1200 x 1200dpi	1200 x 1200dpi
Duplex	Standard	Standard
Processor	600MHz	600MHz
Memory	Std 256MB/ Max 512MB	Std 256MB/ Max 512MB
Printer Languages	SPL,PCL6,PS3,PCL5e,IBM Proprint,EPSON,PDF V1.7, KS*,KSSM*	SPL,PCL6,PS3,PCL5e,IBM Proprint,EPSON,PDF V1.7, KS*,KSSM*
Fax	Standard	Standard
Scan	Scan to Email, Client, SMB, FTP, HTTP	Scan to USB, Email, Client, SMB, FTP, HTTP
Paper Capacity	Cassette – 250 Sheets Multi-Purpose Tray – 1 Sheet Max Paper Capacity – 771 Sheets	Cassette – 250 Sheets Multi-Purpose Tray – 50 Sheets Max Paper Capacity – 820 Sheets
Document Feeder	ADF - 50-Sheet	RADF - 50-Sheet
Connectivity	USB 2.0, Ethernet 10/100 Base TX, Optional parallel printing port	USB 2.0, Ethernet 10/100 Base TX, Wireless 801.11 b/g/n Optional parallel printing port
XOA	-	-
Compatibility	Windows XP, 2003, Vista, 2008, 7, 2008R2, 8 RedHat Enterprise Linux WS 4, 5, 6 Fedora 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15 OpenSuSE 10.2, 10.3, 11.0, 11.1, 11.2, 11.3, 11.4 Mandriva 2007, 2008, 2009, 2009.1, 2010 Ubuntu 6.06, 6.10, 7.04, 7.10, 8.04, 8.10, 9.04, 9.10, 10.04, 10.10, 11.04 SuSE Linux Enterprise Desktop 10, 11 Debian 4.0, 5.0, 6.0 Sun Solaris 9,10,11 HP-UX 11.0, 11i v1, 11i v2, 11i v3 IBM AIX 5.1, 5.2, 5.3, 5.4, 6.1, .7.1 Mac OS X 10.5~10.8	Windows XP, 2003, Vista, 2008, 7, 2008R2, 8 RedHat Enterprise Linux WS 4, 5, 6 Fedora 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15 OpenSuSE 10.2, 10.3, 11.0, 11.1, 11.2, 11.3, 11.4 Mandriva 2007, 2008, 2009, 2009.1, 2010 Ubuntu 6.06, 6.10, 7.04, 7.10, 8.04, 8.10, 9.04, 9.10, 10.04, 10.10, 11.04 SuSE Linux Enterprise Desktop 10, 11 Debian 4.0, 5.0, 6.0 Sun Solaris 9,10,11 HP-UX 11.0, 11i v1, 11i v2, 11i v3 IBM AIX 5.1, 5.2, 5.3, 5.4, 6.1, .7.1 Mac OS X 10.5~10.8
Monthly Duty Cycle	50,000	80,000
Weight	15.15kg	17.07kg
Dimensions (WxDxH)	414 x 420.6 x 449.1mm	469 x 444 x 482.1mm
Finishing Options	SL-SCF3800/SEE - Second Paper Cassette (520 Sheet) ML-PAR100/SEE - IEEE-1284 Parallel Connector ML-MEM370/SEE - 512MB Memory Upgrade	SL-SCF3800/SEE - Second Paper Cassette (520 Sheet) ML-PAR100/SEE - IEEE-1284 Parallel Connector ML-MEM370/SEE - 512MB Memory Upgrade
Blue Angel	-	-
Energy Star	Yes	Yes
Supplies	MLT-D203S/ELS - Black Standard Toner, Yield 3,000 MLT-D203L/ELS - Black High Toner, Yield 5,000 MLT-D203E/ELS - Black Extra High Toner, Yield 10,000	MLT-D203S/ELS - Black Standard Toner, Yield 3,000 MLT-D203L/ELS - Black High Toner, Yield 5,000 MLT-D203E/ELS - Black Extra High Toner, Yield 10,000
Standard Warranty	1 Year Warranty	1 Year Warranty

A4 Mono Printers	<b>SL-M4070FR</b>	<b>SL-M4580FX</b>
Format	A4	A4
Speed	40ppm	45ppm
User Interface Type	4 Line LCD with Numeric Keyboard	10.1" Colour Touchscreen Panel
FPOT	Less than 6.5 seconds	Less than 6.5 seconds
Print Resolution	1200 x 1200dpi	1,200 x 1,200dpi
Duplex	Standard	Standard
Processor	600MHz	Dual Core 1GHz
Memory	Std 256MB/ Max 512MB	4 GB ( 2GB for Android OS * User Available Space for Android OS: 1GB) HDD - 320 GB * User Available Space: 279 GB
Printer Languages	SPL, PCL6, PS3, PCL5e, IBM Proprint, EPSON, PDF V1.7, KS*, KSSM*	PCL5e, PCL6, PS3, PDF V1.7
Fax	Standard	Standard
Scan	Scan to HDD, USB, Email, Client, SMB, FTP	Scan to HDD, USB, Email, Client, SMB, FTP
Paper Capacity	Cassette – 250 Sheets Multi-Purpose Tray – 50 Sheets Max Paper Capacity – 820 Sheets	Cassette – 550 Sheets Multi-Purpose Tray – 100 Sheets Max Paper Capacity – 2,300 Sheets
Document Feeder	ADF - 50-Sheet	DSDF - 50 Sheets
Connectivity	USB 2.0, Ethernet 10/100/1000 Base TX IEEE 802.11 b/g/n, Optional NFC	USB 2.0 Device (1EA), Host (2EA), Ethernet 10/100/1000 BaseTX IEEE 802.11 b/g/n, Optional NFC
XOA	Standard	Standard
Compatibility	Windows XP, 2003, Vista, 2008, 7, 2008R2, 8 RedHat Enterprise Linux WS 4, 5, 6 Fedora 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15 OpenSuSE 10.2, 10.3, 11.0, 11.1, 11.2, 11.3, 11.4 Mandriva 2007, 2008, 2009, 2009.1, 2010 Ubuntu 6.06, 6.10, 7.04, 7.10, 8.04, 8.10, 9.04, 9.10, 10.04, 10.10, 11.04 SuSE Linux Enterprise Desktop 10, 11 Debian 4.0, 5.0, 6.0 Sun Solaris 9,10,11 HP-UX 11.0, 11i v1, 11i v2, 11i v3 IBM AIX 5.1, 5.2, 5.3, 5.4, 6.1, .7.1 Mac OS X 10.5 - 10.9	Windows XP, Vista, 2003, 2008, Win7, 2008R2, Win8, Win8.1, 2012, 2012R2 RedHat Enterprise Linux WS 4, 5, 6 Fedora 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15 OpenSuSE 10.2, 10.3, 11.0, 11.1, 11.2, 11.3, 11.4 Mandriva 2007, 2008, 2009, 2009.1, 2010 Ubuntu 6.06, 6.10, 7.04, 7.10, 8.04, 8.10, 9.04, 9.10, 10.04, 10.10, 11.04 SuSE Linux Enterprise Desktop 10, 11 Debian 4.0, 5.0, 6.0 Sun Solaris 9,10,11 HP-UX 11.0, 11i v1, 11i v2, 11i v3 IBM AIX 5.1, 5.2, 5.3, 5.4, 6.1, .7.1 Mac OS X 10.5 - 10.9
Monthly Duty Cycle	100,000	200,000
Weight	17.07kg	30.20kg
Dimensions (WxDxH)	469 x 444.3 x 482.1mm	530 x 459.5 x 649mm
Finishing Options	SL-MEM001/SEE - Memory 2GB, DDR3 SL-SCF4500/SEE - Second Cassette Feeder SL-DSK001S/SEE - Short Stand SL-NWE001X/SEE - Wireless/NFC Kit	SL-MEM001/SEE - Memory 2GB, DDR3 SL-SCF4500/SEE - Second Cassette Feeder SL-DSK001S/SEE - Short Stand SL-NWE001X/SEE - Wireless/NFC Kit
Blue Angel	Yes	Yes
Energy Star	Yes	Yes
Supplies	MLT-D203S/ELS - Black Standard Toner, Yield 3,000 MLT-D203L/ELS - Black High Toner, Yield 5,000 MLT-D203E/ELS - Black Extra High Toner, Yield 10,000	MLT-D203S/ELS - Toner Cartridge, Yield 40,000 MLT-R303/SEE - Imaging Unit, Yield 100,000
Standard Warranty	1 Year Warranty	1 Year Warranty

Photos are for illustrative purposes only. Options and Supplies will need to be purchased separately. Specifications could be subject to change on certain models.

# Enterprise

## Colour MFPs

Flexibility and control for your business

Our Enterprise colour printer range is designed at the cutting edge of printing technology. This range is the ultimate in performance, productivity and flexible finishing.

### A4 COLOUR MFPs

**CLX-8640ND** 38ppm

**CLX-8650ND** 48ppm

### A3 COLOUR MFPs

**CLX-9201NA** 20ppm

**CLX-9251NA** 25ppm

**CLX-9301NA** 30ppm

**CLX-9352NA** 35ppm

### SMART PRINT RANGE

**SL-X4220RX** 22ppm

**SL-X4250LX** 25ppm


**SL-X4300LX** 30ppm

**SL-X7400GX/LX** 40ppm

**SL-X7500GX/LX** 50ppm

**SL-X7600GX** 60ppm

**SL-X7600LX** 60ppm



### SMART Touch

Touch to print, just like on a tablet

The SMART MultiXpress X4300LX / X4250 LX / X4220RX provides innovative usability through Samsung SMART UX Center as the very first Smart Android printing UX. Samsung SMART UX Center is a printing UX based on the Android OS and the first of its kind in the printing industry.

This user-friendly UX provides intuitiveness, usability and extensibility at the same time, which ensures perfect compatibility with various Android-based smart devices.



### Get sharper quality print output

Samsung's unique Rendering Engine for Clean Page (ReCP) technology delivers professional-quality output with sharp text and clean images, ensuring a perfect looking printout every time. The innovative technology automatically sharpens the focus of both graphics and text. And with a superior resolution of 1,200 x 1,200 effective dpi, your scans, printout and company will always look professional.

<sup>1</sup> Dual-Scan ADF is available on the X4250LX and X4300LX models only. <sup>2</sup> 80 single-sided ipm is available on the X4250LX and X4300LX models only. 45 single-sided ipm is available on the X4220RX model only. <sup>3</sup> 100 double-sided ipm for color is available on the X4250LX and X4300LX models only. 18 double-sided ipm is available on the X4220RX model only. <sup>4</sup> 120 double-sided ipm for mono is available on the X4250LX and X4300LX models only. <sup>5</sup> 30 ppm is available on the X4250LX model only. 25 ppm is available on the X4250LX model only. 22 ppm is available on the X4220RX model only.




### Work fast, wait less

#### Scan at ultra-high rates

SMART MultiXpress X4300LX / X4250 LX / X4220RX printers are equipped with Dual-Scan ADF<sup>1</sup> technology, enabling them to deliver ultra-high, best-in-class scanning speeds. These workhorse MFPs can scan up to 80 single-sided images per minute (ipm)<sup>2</sup>, up to 100 double-sided ipm<sup>3</sup> for colour and up to 120<sup>4</sup> double-sided ipm for mono.

#### Save resources with low total cost of ownership (TCO) printing

Businesses can handle heavy printing volumes while reducing labour costs with the X4300 Series' ultra-high-yield toner cartridges and drums. Flexible options range from toners that yield 20,000 standard pages for colour to 23,000 for black and white, while drums yield 100,000 standard pages. These long-life consumables ensure businesses get the most out of their resources, resulting in lower TCO.





A4 Colour Printers	<b>CLX-8640ND</b>	<b>CLX-8650ND</b>
Format	A4	A4
Speed	38ppm	48ppm
User Interface Type	7" Colour LCD Touch Screen	7" Colour LCD Touch Screen
FPOT	Less than 11 seconds	Less than 11 seconds
Print Resolution	1,200 x 600dpi	1,200 x 600dpi
Duplex	Standard	Standard
Processor	Dual Core 1 GHz	Dual Core 1 GHz
Memory	1GB	1GB
Printer Languages	PCL5c, PCL6, PostScript Level3, PDF 1.7	PCL5c, PCL6, PostScript Level3, PDF 1.7
Fax	Optional	Optional
Scan	Scan Speed: 70ipm Mono/Colour Scan to: E-mail, USB, FTP, SMB, HDD	Scan Speed: 70ipm Mono/Colour Scan to: E-mail, USB, FTP, SMB, HDD
Paper Capacity	Cassette – 520 Sheets Multi-Purpose Tray – 100 Sheets Max Paper Capacity – 2,180 Sheets	Cassette – 520 Sheets Multi-Purpose Tray – 100 Sheets Max Paper Capacity – 2,180 Sheets
Document Feeder	DADF - 100 Sheets	DADF - 100 Sheets
Connectivity	USB 2.0, Ethernet 10/100/1000 Base Tx	USB 2.0, Ethernet 10/100/1000 Base Tx
XOA	XOA Platform	XOA Platform
Compatibility	Windows XP, Vista, Windows 7, Windows 2003, Windows 2008, Windows 2008 R2 ; RedHat Enterprise Linux WS 4, 5; Fedora 5, 6, 7, 8, 9, 10, 11, 12, 13; SuSE Linux 10.1; OpenSuSE 10.2, 10.3, 11.0, 11.1, 11.2; Mandriva 2007, 2008, 2009, 2010; Ubuntu 6.06, 6.10, 7.04, 7.10, 8.04, 8.10, 9.04, 9.10, 10.04 ; SuSE Linux Enterprise Desktop 10, 11; Debian 4.0, 5.0; Sun Solaris 9, 10; HP-UX 11.0, 11i v1, 11i v2, 11i v3; IBM AIX 5.1, 5.2, 5.3, 5.4; Mac OS X 10.4 ~ 10.7	Windows XP, Vista, Windows 7, Windows 2003, Windows 2008, Windows 2008 R2 ; RedHat Enterprise Linux WS 4, 5; Fedora 5, 6, 7, 8, 9, 10, 11, 12, 13; SuSE Linux 10.1; OpenSuSE 10.2, 10.3, 11.0, 11.1, 11.2; Mandriva 2007, 2008, 2009, 2010; Ubuntu 6.06, 6.10, 7.04, 7.10, 8.04, 8.10, 9.04, 9.10, 10.04 ; SuSE Linux Enterprise Desktop 10, 11; Debian 4.0, 5.0; Sun Solaris 9, 10; HP-UX 11.0, 11i v1, 11i v2, 11i v3; IBM AIX 5.1, 5.2, 5.3, 5.4; Mac OS X 10.4 ~ 10.7
Monthly Duty Cycle	200,000	200,000
Weight	70.4kg	70.4kg
Dimensions (WxDxH)	550 x 523 x 776mm	550 x 523 x 776mm
Finishing Options	CLX-FIN25S/SEE - 2 Bin Finisher CLX-FAX170/XEU - Fax Kit CLX-DSK20M/SEE - 520 Sheet Second Cassette with Built In Cabinet CLX-S8640T/SEE - 520 Sheet Triple Cassette Feeder CLX-NWA20L/SEE - Wireless/NFC Kit	CLX-FIN25S/SEE - 2 Bin Finisher CLX-FAX170/XEU - Fax Kit CLX-DSK20M/SEE - 520 Sheet Second Cassette with Built In Cabinet CLX-S8640T/SEE - 520 Sheet Triple Cassette Feeder CLX-NWA20L/SEE - Wireless/NFC Kit
Blue Angel	Yes	Yes
Energy Star	Yes	Yes
Supplies	CLT-C659S/ELS - Cyan Toner, Standard Yield 20,000 CLT-M659S/ELS - Magenta Toner, Standard Yield 20,000 CLT-Y659S/ELS - Yellow Toner, Standard Yield 20,000 CLT-K659S/ELS - Black Toner, Standard Yield 20,000 CLT-R659/SEE - CMYK Drum, Standard Yield 40,000 CLT-W659/SEE - Waste Toner Bottle, Standard Yield 20,000	CLT-C659S/ELS - Cyan Toner, Standard Yield 20,000 CLT-M659S/ELS - Magenta Toner, Standard Yield 20,000 CLT-Y659S/ELS - Yellow Toner, Standard Yield 20,000 CLT-K659S/ELS - Black Toner, Standard Yield 20,000 CLT-R659/SEE - CMYK Drum, Standard Yield 40,000 CLT-W659/SEE - Waste Toner Bottle, Standard Yield 20,000
Standard Warranty	1 Year Warranty	1 Year Warranty

Photos are for illustrative purposes only. Options and Supplies will need to be purchased separately. Specifications could be subject to change on certain models.



A3 Colour Printers	<b>CLX-9251NA</b>	<b>CLX-9301NA</b>
Format	A3 / A4	A3 / A4
Speed	25ppm	30ppm
User Interface Type	7" TFT Colour LCD Touch Screen	7" TFT Colour LCD Touch Screen
FPOT	Less than 11.5 seconds	Mono 9.5 seconds / Colour 11 seconds
Print Resolution	600 x 600dpi	600 x 600dpi
Duplex	Standard	Standard
Processor	Dual Core 1GHz	Dual Core 1GHz
Memory Std/Max	1GB, 320GB HDD	1.5GB, 320GB HDD
Printer Languages	PCL5C, PCL6 (XL), PostScript Level3, PDF 1.7+, XPS	PCL5C, PCL6 (XL), PostScript Level3, PDF 1.7+, XPS
Fax	Optional	Optional
Scan	Scan Speed: 45ipm Mono/Colour Scan to: HDD, USB, Client, SMB, FTP, Email	Scan Speed: 45ipm Mono/Colour Scan to: HDD, USB, Client, SMB, FTP, Email
Paper Capacity	Cassette – 1,040 Sheets Multi-Purpose Tray – 100 Sheets Max Paper Capacity – 2,180 Sheets	Cassette – 1,040 Sheets Multi-Purpose Tray – 100 Sheets Max Paper Capacity – 2,180 Sheets
Document Feeder	DADF - 100 Sheets	DADF - 100 Sheets
Connectivity	USB 2.0, Ethernet 10/100/1000 Base TX	USB 2.0, Ethernet 10/100/1000 Base TX
XOA	XOA Platform	XOA Platform
Compatibility	Windows XP, 2003, Vista, 2008, Windows 7/2008 R2 RedHat Enterprise Linux WS 4, 5; Fedora 5, 6, 7, 8, 9, 10, 11, 12, 13; SuSE Linux 10.1; Open-SuSE 10.2 10.3, 11.0, 11.1, 11.2; Mandriva 2007, 2008, 2009, 2009.1, 2010; Ubuntu 6.06, 6.10, 7.04, 7.10, 8.04 8.10, 9.04, 9.10, 10.04; SuSE Linux Enterprise Desktop 10, 11; Debian 4.0, 5.0; Mac OS X 10.5 ~ 10.7	Windows XP, 2003, Vista, 2008, Windows 7/2008 R2 RedHat Enterprise Linux WS 4, 5; Fedora 5, 6, 7, 8, 9, 10, 11, 12, 13; SuSE Linux 10.1; Open-SuSE 10.2 10.3, 11.0, 11.1, 11.2; Mandriva 2007, 2008, 2009, 2009.1, 2010; Ubuntu 6.06, 6.10, 7.04, 7.10, 8.04 8.10, 9.04, 9.10, 10.04; SuSE Linux Enterprise Desktop 10, 11; Debian 4.0, 5.0; Mac OS X 10.5 ~ 10.7
Monthly Duty Cycle	100,000	100,000
Weight	72.5kg	72.5kg
Dimensions (W x D x H)	560 x 600 x 1103.6mm	560 x 600 x 1103.6mm
Finishing options	CLX-DSK20T/SEE - Cabinet; CLX-FAX160/XEU - Fax Kit; CLX-JST100/SEE - Job Separator; CLX-KIT10F/SEE - FDI Kit; CLX-WKT001/SEE - Working Tray; CLX-NWA20L/SEE - Wireless/NFC	CLX-DSK20T/SEE - Cabinet; CLX-FAX160/XEU - Fax Kit; CLX-JST100/SEE - Job Separator; CLX-KIT10F/SEE - FDI Kit; CLX-WKT001/SEE - Working Tray; CLX-NWA20L/SEE - Wireless/NFC
Blue Angel	Yes	Yes
Energy Star	Yes	Yes
Supplies	CLT-C809S/ELS - Cyan Toner, Standard Yield 15,000 CLT-M809S/ELS - Magenta Toner, Standard Yield 15,000 CLT-Y809S/ELS - Yellow Toner, Standard Yield 15,000 CLT-K809S/ELS - Black Toner, Standard Yield 20,000 CLT-R809/SEE - CMYK Drum, Standard Yield 50,000 CLT-W809/SEE - Waste Toner Bottle, Standard Yield 22,600	CLT-C809S/ELS - Cyan Toner, Standard Yield 15,000 CLT-M809S/ELS - Magenta Toner, Standard Yield 15,000 CLT-Y809S/ELS - Yellow Toner, Standard Yield 15,000 CLT-K809S/ELS - Black Toner, Standard Yield 20,000 CLT-R809/SEE - CMYK Drum, Standard Yield 50,000 CLT-W809/SEE - Waste Toner Bottle, Standard Yield 22,600
Standard Warranty	1 Year Warranty	1 Year Warranty

Photos are for illustrative purposes only. Options and Supplies will need to be purchased separately. Specifications could be subject to change on certain models.  
[www.samsung.com/uk/printers](http://www.samsung.com/uk/printers)

A3 Colour Printers	<b>CLX-9352NA</b>
Format	A3 / A4
Speed	35ppm
User Interface Type	8.9" TFT Colour LCD Touch Screen
FPOT	Less than 13.5 seconds
Print Resolution	600 x 600dpi
Duplex	Standard
Processor	Dual Core 1GHz
Memory	1.5GB, 320GB HDD
Printer Languages	PCL5C, PCL6 (XL), PostScript Level3, PDF 1.7+, XPS
Fax	Optional
Scan	Scan Speed: 45ipm Mono/Colour Scan to: HDD, USB, Client, SMB, FTP, Email
Paper Capacity	Cassette – 1,040 Sheets Multi-Purpose Tray – 100 Sheets Max Paper Capacity – 3,140 Sheets
Document Feeder	DADF - 100 Sheets
Connectivity	USB 2.0, Ethernet 10/100/1000 Base TX
XOA	XOA Platform
Compatibility	Windows XP, 2003, Vista, 2008, Windows 7/2008 R2 RedHat Enterprise Linux WS 4, 5; Fedora 5, 6, 7, 8, 9, 10, 11, 12, 13; SuSE Linux 10.1; Open-SuSE 10.2 10.3, 11.0, 11.1, 11.2; Mandriva 2007, 2008, 2009, 2009.1, 2010; Ubuntu 6.06, 6.10, 7.04, 7.10, 8.04 8.10, 9.04, 9.10, 10.04; SuSE Linux Enterprise Desktop 10, 11; Debian 4.0, 5.0; Mac OS X 10.5 ~ 10.7
Monthly Duty Cycle	150,000
Weight	109.5kg
Dimensions (WxDxH)	677.5 x 763 x 853.6mm
Finishing Options	CLX-PFP000/SEE - Double Cassette Feeder; CLX-HCF102/SEE - High Capacity Feeder; CLX-DSK10T/SEE - Cabinet; CLX-BRG200/SEE - Bridge Kit; CLX-FIN40S/SEE - Basic Finisher; CLX-FIN40L/SEE - Booklet Finisher; SCX-STP000/SEE - Staple Finisher Cartridge; CLX-HPU001/SEE - 2/4 Hole Punch; CLXFAX160/XEU - Fax Kit; CLX-FAX260/XEU - Dual Line Fax Kit; CLX-WKT000/SEE - Working Tray; CLX-KIT10F/SEE - FDI Kit; CLX-NWA20L/SEE - Wireless/NFC Kit
Blue Angel	Yes
Energy Star	Yes
Supplies	CLT-C6072S/ELS - Cyan Standard Toner, Yield 15,000 CLT-C6062S/ELS - Cyan Higher Toner, Yield 20,000; CLT-M6072S/ELS - Magenta Standard Toner, Yield 15,000; CLT-M6062S/ELS - Magenta Higher Toner, Yield 20,000 CLT-Y6072S/ELS - Yellow Standard Toner, Yield 15,000 CLT-Y6062S/ELS - Yellow Higher Toner, Yield 20,000 CLT-K6062S/ELS - Black Standard Toner, Yield 25,000; CLT-R607C/SEE - Cyan Standard Drum, Yield 75,000; CLT-R607M/SEE - Magenta Standard Drum, Yield 75,000 CLT-R607Y/SEE - Yellow Standard Drum, Yield 75,000 CLT-W606/SEE - Waste Toner Bottle, Yield 75,000; CLX-PMK10C/SEE - Ozone Filter, Transfer Roller, Cartridge Transfer Cleaner, Dust Filter; CLX-PMK11C/SEE - Pick Up Roller, Forward Roller, Retard Roller; CLX-PMK12C/SEE - DADF Pick Up Roller, DADF ADF Roller, DADF Retard Roller; CLX-PMK13C/SEE - MP Pick Up Roller, MP Retard Roller, MP Forward Roller
Standard Warranty	1 Year Warranty



A3 Colour Printers	<b>SL-X4220RX</b>	<b>SL-X4250LX</b>
Format	A3 / A4	A3 / A4
Speed	22ppm	25ppm
User Interface Type	10.1" Colour Touch-Panel LCD	10.1" Colour Touch-Panel LCD
FPOT	Less than 12 seconds	Less than 11.5 seconds
Print Resolution	600 x 600dpi	600 x 600dpi
Duplex	Standard	Standard
Processor	Dual Core 1GHz	Dual Core 1GHz
Memory	4 GB (2GB for Android OS * User Available Space for Android OS: 1GB) HDD - 320 GB * User Available Space: 279 GB	4 GB (2GB for Android OS * User Available Space for Android OS: 1GB) HDD - 320 GB * User Available Space: 279 GB
Printer Languages	PCL5ce, PCL6, PostScript3, PDF V1.7	PCL5ce, PCL6, PostScript3, PDF V1.7
Fax	Optional	Optional
Scan	Scan Speed: 45ipm Mono/Colour Duplex: 18ipm Mono/Colour Scan to: Email, FTP, SMB, HDD, USB, WSD, PC	Scan Speed: 80ipm Mono/Colour Duplex: 120/100ipm Mono/Colour Scan to: Email, FTP, SMB, HDD, USB, WSD, PC
Paper Capacity	Cassette - 1,140 Sheets Multi-Purpose Tray - 100 Sheets Other - DCF 520 x 2 Sheets Max Paper Capacity - 2,180 Sheets	Cassette - 1,140 Sheets Multi-Purpose Tray - 100 Sheets Other - DCF 520 Sheets x 2 Max Paper Capacity - 2,180 Sheets
Document Feeder	ADF - 100 Sheets	DSDF - 100 Sheets
Connectivity	USB 2.0 Device (1EA), Host (2EA), Ethernet 10/100/1000 BaseTX IEEE 802.11 b/g/n; Optional NFC	USB 2.0 Device (1EA), Host (2EA), Ethernet 10/100/1000 BaseTX IEEE 802.11 b/g/n; Optional NFC
XOA	XOA Platform	XOA Platform
Compatibility	Windows XP, 2003 Server, Vista, 2008 server, Windows 7, 2008 Server R2, Windows 8, Windows 8.1, Windows Server 2012, Windows Server 2012 R2; Red Hat Enterprise Linux 5, 6; Fedora 11, 12, 13, 14, 15, 16, 17, 18, 19; openSUSE 11.0, 11.1, 11.2, 11.3, 11.4, 12.1, 12.2, 12.3 Ubuntu 10.04, 10.10, 11.04, 11.10, 12.04, 12.10, 13.04 SUSE Linux Enterprise Desktop 10, 11; Debian 5.0, 6.0, 7.0, 7.1; Mint 13, 14, 15; Sun Solaris 9, 10, 11; HP-UX 11.0, 11i v1, 11i v2, 11i v3; IBM AIX 5.1, 5.2, 5.3, 5.4, 6.1, 7.1; Mac OS 10.5 - 10.9	Windows XP, 2003 Server, Vista, 2008 server, Windows 7, 2008 Server R2, Windows 8, Windows 8.1, Windows Server 2012, Windows Server 2012 R2; Red Hat Enterprise Linux 5, 6; Fedora 11, 12, 13, 14, 15, 16, 17, 18, 19; openSUSE 11.0, 11.1, 11.2, 11.3, 11.4, 12.1, 12.2, 12.3 Ubuntu 10.04, 10.10, 11.04, 11.10, 12.04, 12.10, 13.04 SUSE Linux Enterprise Desktop 10, 11; Debian 5.0, 6.0, 7.0, 7.1; Mint 13, 14, 15; Sun Solaris 9, 10, 11; HP-UX 11.0, 11i v1, 11i v2, 11i v3; IBM AIX 5.1, 5.2, 5.3, 5.4, 6.1, 7.1; Mac OS 10.5 - 10.9
Monthly Duty Cycle	65,000	73,000
Weight	88.23kg	89.55kg
Dimensions (WxDxH)	566 x 640 x 879mm	566 x 640 x 879mm
Finishing options	SL-DSK502T/SEE - Cabinet Stand; SL-PFP502D/SEE - Dual Cassette Feeder; SL-FIN501L/SEE - Inner Finisher; SL-JSP500S/SEE - Job Separator; SCX-STP000/SEE - Staple Finisher Cartridge; CLX-FAX160/XEU - Fax Kit; SL-FAX2501/SEE - Dual Kit; SL-NWE001X/SEE - Wireless/NFC Kit; SL-FIN701H/SEE; SL-FIN701B/SEE	SL-DSK502T/SEE - Cabinet Stand; SL-PFP502D/SEE - Dual Cassette Feeder; SL-FIN501L/SEE - Inner Finisher; SL-JSP500S/SEE - Job Separator; SCX-STP000/SEE - Staple Finisher Cartridge; CLX-FAX160/XEU - Fax Kit; SL-FAX2501/SEE - Dual Kit; SL-NWE001X/SEE - Wireless/NFC Kit; SL-FIN701H/SEE; SL-FIN701B/SEE
Blue Angel	Yes	Yes
Energy Star	Yes	Yes
Supplies	CLT-K808S/ELS - Black Toner, Standard Yield 23,000 CLT-C808S/ELS - Cyan Toner, Standard Yield 20,000 CLT-M808S/ELS - Magenta Toner, Standard Yield 20,000 CLT-Y808S/ELS - Yellow Toner, Standard Yield, 20,000 CLT-R808/SEE - CMYK Drum, Standard Yield 100,000 CLT-W808/SEE - Waste Toner Bottle, Standard Yield 33,500	CLT-K808S/ELS - Black Toner, Standard Yield 23,000 CLT-C808S/ELS - Cyan Toner, Standard Yield 20,000 CLT-M808S/ELS - Magenta Toner, Standard Yield 20,000 CLT-Y808S/ELS - Yellow Toner, Standard Yield, 20,000 CLT-R808/SEE - CMYK Drum, Standard Yield 100,000 CLT-W808/SEE - Waste Toner Bottle, Standard Yield 33,500
Standard Warranty	1 Year Warranty	1 Year Warranty

Photos are for illustrative purposes only. Options and Supplies will need to be purchased separately. Specifications could be subject to change on certain models.



A3 Colour Printers	SL-X7400GX/LX	SL-X7500GX/LX
Format	A3 /A4	A3 /A4
Speed	40ppm	50ppm
User Interface Type	10.1" Pivoting Color Touch-Panel LCD	10.1" Pivoting Color Touch-Panel LCD
FPOT	Mono 8 seconds / Colour 9.9 seconds*	Mono 7.2 seconds / Colour 8.9 seconds*
Print Resolution	1200 x 1200dpi	1200 x 1200dpi
Duplex	Standard	Standard
Processor	Quad Core 1.5 GHz	Quad Core 1.5 GHz
Memory	4 GB (2GB for Android OS * User Available Space for Android OS: 1GB) HDD - 320 GB * User Available Space: 279 GB	4 GB (2GB for Android OS * User Available Space for Android OS: 1GB) HDD - 320 GB * User Available Space: 279 GB
Printer Languages	PCL5C, PCL6, PostScript Level3, PDF 1.7, XPS	PCL5C, PCL6, PostScript Level3, PDF 1.7, XPS
Fax	Optional	Optional
Scan	X7400GX / X7500GX / X7600GX (Mono/Colour) 120/240 ipm X7400LX / X7500LX / X7600LX (Mono/Colour) 80/160 ipm Scan to: Email, FTP, SMB, HDD, Scan to PC	X7400GX / X7500GX / X7600GX (Mono/Colour) 120/240 ipm X7400LX / X7500LX / X7600LX (Mono/Colour) 80/160 ipm Scan to: Email, FTP, SMB, HDD, Scan to PC
Paper Capacity	Cassette - 520 Sheets x 2 Multi-Purpose Tray - 100 Sheets Max Paper Capacity - 6,140 Sheets	Cassette - 520 Sheets x 2 Multi-Purpose Tray - 100 Sheets Max Paper Capacity - 6,140 Sheets
Document Feeder	DSDF - 250 Sheets	DSDF - 250 Sheets
Connectivity	Hi-Speed USB 3.0, 2.0, Ethernet 10/100/1G Base TX, Opt IEEE 802.11b/g/n, Opt NFC	Hi-Speed USB 3.0, 2.0, Ethernet 10/100/1G Base TX, Opt IEEE 802.11b/g/n, Opt NFC
XOA	XOA Platform	XOA Platform
Compatibility	Windows XP, Vista, 2008, Win7, 2008, Win8, 2012, Win8.1, 2012; RedHat Enterprise Linux WS 5, 6; Fedora 12, 13, 14, 15, 16, 17, 18, 19, 20; OpenSuSE 11.2, 11.3, 11.4, 12.1, 12.2, 12.3, 13.1.; Ubuntu 10.04, 11.04, 11.10, 12.04, 12.10, 13.04, 13.10, 14.04; SuSE Linux Enterprise Desktop 10, 11; Debian 6, 7; Mint 13, 14, 15, 16; Mac OS X 10.6 ~ 10.10	Windows XP, Vista, 2008, Win7, 2008, Win8, 2012, Win8.1, 2012; RedHat Enterprise Linux WS 5, 6; Fedora 12, 13, 14, 15, 16, 17, 18, 19, 20; OpenSuSE 11.2, 11.3, 11.4, 12.1, 12.2, 12.3, 13.1.; Ubuntu 10.04, 11.04, 11.10, 12.04, 12.10, 13.04, 13.10, 14.04; SuSE Linux Enterprise Desktop 10, 11; Debian 6, 7; Mint 13, 14, 15, 16; Mac OS X 10.6 ~ 10.10
Monthly Duty Cycle	200,000	250,000
Weight	122kg	122kg
Dimensions (WxDxH)	585 x 670 x 1188.4mm	585 x 670 x 1188.4mm
Finishing options	SL-DSK501T/SEE - Cabinet Stand; SL-PFP501D/SEE - Dual Cassette Feeder; SL-HCF501B/SEE - High Capacity Feeder Bottom; SL-HCF501S/SEE - High Capacity Feeder Side; SL-FIN701B/SEE - Booklet Finisher; SL-FIN701H/SEE - High Volume Finisher; SL-FIN502L/SEE - Inner Finisher; SL-HPU501T/SEE - 2/3 hole punch kit for Inner Finisher SL-HPU501F/SEE - 2/4 hole punch kit for Inner Finisher SL-HPU701T/RND - 2/3 hole punch kit for Booklet Finisher; SL-HPU701F/SEE - 2/4 hole punch kit for Booklet Finisher; SL-HPU701/SEE - 2/4 hole punch kit for Booklet Finisher; SCXSTP000/SEE - Staples for Inner Finisher; SL-STP000/SEE - High Volume Staples Cartridge; SL-JST501S/SEE - Job Separator; CLX-FAX160/XEU - Single Fax Kit; SL-FAX2501/XEU - Dual Fax Kit; SL-NWA001N/SEE - Additional Network Kit; SL-NWE001X/SEE - Wireless Network Kit; SL-NWE002X/SEE - NFC Kit; CLX-KIT10F/SEE - FDI Kit; SL-WKT101/SEE - BYOD Table; CLX-WKT001/SEE - Working Table; SL-CLK501/SEE - Cassette Locking Kit; SL-DHK511C/SEE - Dehumidifying Heater Kit for HCF Side; SL-DHK512C/SEE - Dehumidifying Heater Kit for HCF Side	SL-DSK501T/SEE - Cabinet Stand; SL-PFP501D/SEE - Dual Cassette Feeder; SL-HCF501B/SEE - High Capacity Feeder Bottom; SL-HCF501S/SEE - High Capacity Feeder Side; SL-FIN701B/SEE - Booklet Finisher; SL-FIN701H/SEE - High Volume Finisher; SL-FIN502L/SEE - Inner Finisher; SL-HPU501T/SEE - 2/3 hole punch kit for Inner Finisher SL-HPU501F/SEE - 2/4 hole punch kit for Inner Finisher SL-HPU701T/RND - 2/3 hole punch kit for Booklet Finisher; SL-HPU701/SEE - 2/4 hole punch kit for Booklet Finisher; SCXSTP000/SEE - Staples for Inner Finisher; SL-STP000/SEE - High Volume Staples Cartridge; SL-JST501S/SEE - Job Separator; CLX-FAX160/XEU - Single Fax Kit; SL-FAX2501/XEU - Dual Fax Kit; SL-NWA001N/SEE - Additional Network Kit; SL-NWE001X/SEE - Wireless Network Kit; SL-NWE002X/SEE - NFC Kit; CLX-KIT10F/SEE - FDI Kit; SL-WKT101/SEE - BYOD Table; CLX-WKT001/SEE - Working Table; SL-CLK501/SEE - Cassette Locking Kit; SL-DHK511C/SEE - Dehumidifying Heater Kit for HCF Side; SL-DHK512C/SEE - Dehumidifying Heater Kit for HCF Side
Blue Angel	Yes	Yes
Energy Star	Yes	Yes
Supplies	CLT-K806S/ELS - Black Toner, Standard Yield 45,000; CLT-C806S/ELS - Cyan Toner, Standard Yield 30,000; CLT-M806S/ELS - Magenta Toner, Standard Yield 30,000; CLT-Y806S/ELS - Yellow Toner, Standard Yield, 30,000; CLT-R806K/SEE - CMYK Drum, Standard Yield 280,000; CLT-R806X/SEE - CMYK Drum, Standard Yield 200,000; CLT-W806/SEE - Waste Toner Bottle, Standard Yield 71,000	CLT-K806S/ELS - Black Toner, Standard Yield 45,000; CLT-C806S/ELS - Cyan Toner, Standard Yield 30,000; CLT-M806S/ELS - Magenta Toner, Standard Yield 30,000; CLT-Y806S/ELS - Yellow Toner, Standard Yield, 30,000; CLT-R806K/SEE - CMYK Drum, Standard Yield 280,000; CLT-R806X/SEE - CMYK Drum, Standard Yield 200,000; CLT-W806/SEE - Waste Toner Bottle, Standard Yield 71,000
Standard Warranty	1 Year Warranty	1 Year Warranty

SL-X7600GX		SL-X7600LX	A3 Colour Printers
A3 /A4	A3 /A4		Format
60ppm	60ppm		Speed
10.1" Pivoting Color Touch-Panel LCD	10.1" Pivoting Color Touch-Panel LCD		User Interface Type
Mono 6.8 seconds / Colour 8.3 seconds*	Mono 6.8 seconds / Colour 8.3 seconds*		FPOT
1200 x 1200dpi	1200 x 1200dpi		Print Resolution
Standard	Standard		Duplex
Quad Core 1.5 GHz	Quad Core 1.5 GHz		Processor
4 GB ( 2GB for Android OS * User Available Space for Android OS: 1GB) HDD - 320 GB * User Available Space: 279 GB	4 GB ( 2GB for Android OS * User Available Space for Android OS: 1GB) HDD - 320 GB * User Available Space: 279 GB		Memory
PCL5C, PCL6, PostScript Level3, PDF 1.7, XPS	PCL5C, PCL6, PostScript Level3, PDF 1.7, XPS		Printer Languages
Optional	Optional		Fax
X7400GX / X7500GX / X7600GX (Mono/Colour) 120/240 ipm X7400LX / X7500LX / X7600LX (Mono/Colour) 80/160 ipm Scan to: Email, FTP, SMB, HDD, Scan to PC	X7400GX / X7500GX / X7600GX (Mono/Colour) 120/240 ipm X7400LX / X7500LX / X7600LX (Mono/Colour) 80/160 ipm Scan to: Email, FTP, SMB, HDD, Scan to PC		Scan
Cassette - 520 Sheets x 2 Multi-Purpose Tray - 100 Sheets Max Paper Capacity - 6,140 Sheets	Cassette - 520 Sheets x 2 Multi-Purpose Tray - 100 Sheets Max Paper Capacity - 6,140 Sheets		Paper Capacity
DSDF - 250 Sheets	DSDF - 100 Sheets		Document Feeder
Hi-Speed USB 3.0, 2.0, Ethernet 10/100/1G Base TX, Opt IEEE 802.11b/g/n, Opt NFC	Hi-Speed USB 3.0, 2.0, Ethernet 10/100/1G Base TX, Opt IEEE 802.11b/g/n, Opt NFC		Connectivity
XOA Platform	XOA Platform		XOA
Windows XP, Vista, 2008, Win7, 2008, Win8, 2012, Win8.1, 2012; RedHat Enterprise Linux WS 5, 6; Fedora 12, 13, 14.15,16,17,18,19,20; OpenSuSE 11.2, 11.3, 11.4, 12.1, 12.2,12.3,13.1.; Ubuntu 10.04, 11.04, 11.10, 12.04, 12.10,13.04,13.10,14.04; SuSE Linux Enterprise Desktop 10, 11; Debian 6, 7; Mint 13, 14, 15, 16; Mac OS X 10.6 ~ 10.10	Windows XP, Vista, 2008, Win7, 2008, Win8, 2012, Win8.1, 2012; RedHat Enterprise Linux WS 5, 6; Fedora 12, 13, 14.15,16,17,18,19,20; OpenSuSE 11.2, 11.3, 11.4, 12.1, 12.2,12.3,13.1.; Ubuntu 10.04, 11.04, 11.10, 12.04, 12.10,13.04,13.10,14.04; SuSE Linux Enterprise Desktop 10, 11; Debian 6, 7; Mint 13, 14, 15, 16; Mac OS X 10.6 ~ 10.10		Compatibility
330,000	300,000		Monthly Duty Cycle
122kg	122kg		Weight
585 x 670 x 1188.4mm	585 x 670 x 1188.4mm		Dimensions (WxDxH)
SL-DSK501T/SEE - Cabinet Stand; SL-PFP501D/SEE - Dual Cassette Feeder; SL-HCF501B/SEE - High Capacity Feeder Bottom; SL-HCF501S/SEE - High Capacity Feeder Side; SL-FIN701B/SEE - Booklet Finisher; SL-FIN701H/SEE - High Volume Finisher; SL-FIN502L/SEE - Inner Finisher; SL-HPU501T/SEE- 2/3 hole punch kit for Inner Finisher SL-HPU501F/SEE - 2/4 hole punch kit for Inner Finisher SL-HPU701T/RND - 2/3 hole punch kit for Booklet; Finisher; SL-HPU701F/SEE - 2/4 hole punch kit for Booklet Finisher; SCXSTP000/SEE - Staples for Inner Finisher; SL-STP000/SEE - High Volume Staples Cartridge; SL-JST501S/SEE - Job Separator; CLX-FAX160/XEU- Single Fax Kit; SL-FAX2501/XEU - Dual Fax Kit; SL-NWA001N/SEE - Additional Network Kit; SL-NWE001X/SEE - Wireless Network Kit; SL-NWE002X/SEE - NFC Kit; CLX-KIT10F/SEE - FDI Kit; SL-WKT101/SEE - BYOD Table; CLX-WKT001/SEE - Working Table; SL-CLK501/SEE - Cassette Locking Kit; SL-DHK511C/SEE - Dehumidifying Heater Kit for HCF Side; SL-DHK512C/SEE - Dehumidifying Heater Kit for HCF Side	SL-DSK501T/SEE - Cabinet Stand; SL-PFP501D/SEE - Dual Cassette Feeder; SL-HCF501B/SEE - High Capacity Feeder Bottom; SL-HCF501S/SEE - High Capacity Feeder Side; SL-FIN701B/SEE - Booklet Finisher; SL-FIN701H/SEE - High Volume Finisher; SL-FIN502L/SEE - Inner Finisher; SL-HPU501T/SEE- 2/3 hole punch kit for Inner Finisher SL-HPU501F/SEE - 2/4 hole punch kit for Inner Finisher SL-HPU701T/RND - 2/3 hole punch kit for Booklet; Finisher; SL-HPU701F/SEE - 2/4 hole punch kit for Booklet Finisher; SCXSTP000/SEE - Staples for Inner Finisher; SL-STP000/SEE - High Volume Staples Cartridge; SL-JST501S/SEE - Job Separator; CLX-FAX160/XEU- Single Fax Kit; SL-FAX2501/XEU - Dual Fax Kit; SL-NWA001N/SEE - Additional Network Kit; SL-NWE001X/SEE - Wireless Network Kit; SL-NWE002X/SEE - NFC Kit; CLX-KIT10F/SEE - FDI Kit ; SL-WKT101/SEE - BYOD Table; CLX-WKT001/SEE - Working Table; SL-CLK501/SEE - Cassette Locking Kit; SL-DHK511C/SEE - Dehumidifying Heater Kit for HCF Side; SL-DHK512C/SEE - Dehumidifying Heater Kit for HCF Side		Finishing options
Yes	Yes		Blue Angel
Yes	Yes		Energy Star
CLT-K806S/ELS - Black Toner, Standard Yield 45,000; CLT-C806S/ELS - Cyan Toner, Standard Yield 30,000; CLT-M806S/ELS - Magenta Toner, Standard Yield 30,000; CLT-Y806S/ELS - Yellow Toner, Standard Yield, 30,000; CLT-R806K/SEE - CMYK Drum, Standard Yield 280,000; CLT-R806X/SEE - CMYK Drum, Standard Yield 200,000; CLT-W806/SEE- Waste Toner Bottle, Standard Yield 71,000	CLT-K806S/ELS - Black Toner, Standard Yield 45,000; CLT-C806S/ELS - Cyan Toner, Standard Yield 30,000; CLT-M806S/ELS - Magenta Toner, Standard Yield 30,000; CLT-Y806S/ELS - Yellow Toner, Standard Yield, 30,000; CLT-R806K/SEE - CMYK Drum, Standard Yield 280,000; CLT-R806X/SEE - CMYK Drum, Standard Yield 200,000; CLT-W806/SEE- Waste Toner Bottle, Standard Yield 71,000		Supplies
1 Year Warranty	1 Year Warranty		Standard Warranty

Photos are for illustrative purposes only. Options and Supplies will need to be purchased separately. Specifications could be subject to change on certain models.

# Enterprise

## Mono MFPs

Flexibility and control for your business

Our Enterprise mono printer range is designed at the cutting edge of printing technology. This range is the ultimate in performance, productivity and flexible finishing.

### A4 MONO MFPs

**SL-M4370LX** 43ppm

**SL-M5370LX** 53ppm

### A3 MONO MFPs

**SCX-8123NA** 23ppm

### SMART PRINT RANGE

**SL-K4250LX** 25ppm

**SL-K4300LX** 30ppm


**SL-K4350LX** 35ppm

**SL-K7400GX/LX** 40ppm

**SL-K7500GX/LX** 50ppm

**SL-K7600GX** 60ppm

**SL-K7600LX** 60ppm



### SMART Manage

#### Personalise the UX through My Page


Enhance the UX by arranging and managing the environment by user with My Page. Simply customise the My Page settings and Quick Menu for each user and you can keep track of an individual's usage, control accessibility and more.

#### Create custom apps and UIs in a snap

Administrators can create quick custom apps directly on the devices. Instantly respond to different customers with one click by customising the UI configuration in a maximum of a minute.

#### Create the printing environment that suits your needs with customised, cost-efficient solutions

Samsung's Business Core™ Printing Solutions (BCPS) work as efficiently as you do by providing cost-effective and secure print operation, increasing productivity and simplifying management. The solutions require no dedicated server or IT resources and reduce unnecessary printing and supply use, lowering TCO. These essential printing solutions include:



\*The app store will be available in the Samsung Partner Portal beginning October 2014.

### SMART Use

#### Expand use with independent functions and extensibility

The interface also provides the Real Preview function from the preloaded applications, such as Copy, Send and Box. You can further extend usability with direct web access through the web browser to quickly print various web content, such as maps, pictures, emails and more without a PC.

Plus, you can access more useful features and solutions by downloading them through the Samsung printing app store.\*



For further customisation, numerous certified partner solutions are available through the Samsung XOA platform.

Business Core™ Printing Solutions	Benefits
SecuThru™ Lite 2 (Business Core™ Printing Solution)	Enhances document security and reduces costs with user authentication
Secure Login Manager (Business Core™ Printing Solution)	Guards valuable data and devices from unauthorised use
SmarThru™ Workflow Lite (Business Core™ Printing Solution)	Increases productivity with an automated workflow solution
Cloud Connector (Business Core™ Printing Solution)	Scans to and prints from the cloud with easy, secure access
Usage Tracker (Business Core™ Printing Solution)	Controls printing expenses by easily tracking device usage per user



A4 Mono Printers	<b>SL-M4370LX</b>	<b>SL-M5370LX</b>
Format	A4	A4
Speed	43ppm	53ppm
User Interface Type	10.1" Color Touchscreen Panel	10.1" Color Touchscreen Panel
FPOT	Less than 8 seconds	Less than 7.5 seconds
Print Resolution	1,200 x 600dpi	1,200 x 600dpi
Duplex	Standard	Standard
Processor	Dual Core 1GHz	Dual Core 1GHz
Memory	4 GB (2GB for Android OS * User Available Space for Android OS: 1GB) HDD - 320 GB * User Available Space: 279 GB	4 GB (2GB for Android OS * User Available Space for Android OS: 1GB) HDD - 320 GB * User Available Space: 279 GB
Printer Languages	SPLC, PCL5C, PCL6, PS3, PDF V1.7	SPLC, PCL5C, PCL6, PS3, PDF V1.7
Fax	Optional	Optional
Scan	Scan Speed: 43ipm Duplex: 70ipm Scan to: Email, FTP, SMB, HDD, USB, Client	Scan Speed: 53ipm Duplex: 80ipm Scan to: Email, FTP, SMB, HDD, USB, Client
Paper Capacity	Cassette - 520 Sheets Multi-Purpose Tray - 100 Sheets Max Paper Capacity - 3,240 Sheets	Cassette - 520 Sheets Multi-Purpose Tray - 100 Sheets Max Paper Capacity - 3,240 Sheets
Document Feeder	DSDF - 100 Sheets	DSDF - 100 Sheets
Connectivity	USB 2.0, Ethernet 10/100/1000 BaseTX IEEE 802.11 b/g/n; Optional NFC	USB 2.0, Ethernet 10/100/1000 BaseTX IEEE 802.11 b/g/n; Optional NFC
XOA	XOA Platform	XOA Platform
Compatibility	Windows XP, 2003, Vista, 2008, 32, 7, 2008, R2, Win8, 2012; Red Hat Enterprise Linux 5, 6; Fedora 11, 12, 13, 14, 15, 16, 17, 18, 19; openSUSE 11.0, 11.1, 11.2, 11.3, 11.4, 12.1, 12.2, 12.3 Ubuntu 10.04, 10.10, 11.04, 11.10, 12.04, 12.10, 13.04 SUSE Linux Enterprise Desktop 10, 11; Debian 5.0, 6.0, 7.0, 7.1; Mint 13, 14, 15; UNIX Sun Solaris 9, 10, 11; HP-UNIX 11.0, 11i v1, 11i v2, 11i v3 ; IBM AIX 5.1, 5.2, 5.3, 5.4, 6.1, 7.1; Mac OS X 10.5 - 10.9	Windows XP, 2003, Vista, 2008, 32, 7, 2008, R2, Win8, 2012; Red Hat Enterprise Linux 5, 6; Fedora 11, 12, 13, 14, 15, 16, 17, 18, 19; openSUSE 11.0, 11.1, 11.2, 11.3, 11.4, 12.1, 12.2, 12.3 Ubuntu 10.04, 10.10, 11.04, 11.10, 12.04, 12.10, 13.04 SUSE Linux Enterprise Desktop 10, 11; Debian 5.0, 6.0, 7.0, 7.1; Mint 13, 14, 15; UNIX Sun Solaris 9, 10, 11; HP-UNIX 11.0, 11i v1, 11i v2, 11i v3 ; IBM AIX 5.1, 5.2, 5.3, 5.4, 6.1, 7.1; Mac OS X 10.5 - 10.9;
Monthly Duty Cycle	250,000	300,000
Weight	49kg	49kg
Dimensions (WxDxH)	630 x 506 x 636mm	630 x 506 x 636mm
Finishing Options	SL-SCF5300 - Second Cassette Feeder SL-HCF001B - High Capacity Feeder SL-DSK002S - Short Stand SL-DSK001T - Cabinet Stand SL-FIN001M - 1-Bin Finisher SL-FIN002M - 2-Bin Finisher SL-MBT0401 - Multi-Bin Mailbox SCX-KIT20F - FDI Kit SL-FAX1001 - Fax Kit SL-NWE001X - Wireless & NFC	SL-SCF5300 - Second Cassette Feeder SL-HCF001B - High Capacity Feeder SL-DSK002S - Short Stand SL-DSK001T - Cabinet Stand SL-FIN001M - 1-Bin Finisher SL-FIN002M - 2-Bin Finisher SL-MBT0401 - Multi-Bin Mailbox SCX-KIT20F - FDI Kit SL-FAX1001 - Fax Kit SL-NWE001X - Wireless & NFC
Blue Angel	Yes	Yes
Energy Star	Yes	Yes
Supplies	MLT-D358S/ELS - Black Toner, Standard Yield 30,000 MLT-R358/SEE - Imaging Unit, Standard Yield 100,000 SL-PMK001K/SEE - Pick-Up Roller & Fuser Unit, Standard Yield 250,000 SL-PMK002K/SEE - Transfer Roller, Standard Yield 125,000	MLT-D358S/ELS - Black Toner, Standard Yield 30,000 MLT-R358/SEE - Imaging Unit, Standard Yield 100,000 SL-PMK001K/SEE - Pick-Up Roller & Fuser Unit, Standard Yield 250,000 SL-PMK002K/SEE - Transfer Roller, Standard Yield 125,000
Standard Warranty	1 Year Warranty	1 Year Warranty

Photos are for illustrative purposes only. Options and Supplies will need to be purchased separately. Specifications could be subject to change on certain models.



A3 Mono Printers	<b>SL-K4250RX</b>	<b>SL-K4300LX</b>
Format	A3 /A4	A3 /A4
Speed	25ppm	30ppm
User Interface Type	10.1" Color Touch-Panel LCD	10.1" Color Touch-Panel LCD
FPOT	Less than 8.5 seconds	Less than 8 seconds
Print Resolution	600 x 600dpi	600 x 600dpi
Duplex	Standard	Standard
Processor	Dual Core 1GHz	Dual Core 1GHz
Memory	4 GB ( 2GB for Android OS * User Available Space for Android OS: 1GB) HDD - 320 GB * User Available Space: 279 GB	4 GB ( 2GB for Android OS * User Available Space for Android OS: 1GB) HDD - 320 GB * User Available Space: 279 GB
Printer Languages	PCL5e, PCL6, PostScript3, PDF V1.7	PCL5e, PCL6, PostScript3, PDF V1.7
Fax	Optional	Optional
Scan	Scan Speed: 45ipm Duplex: 18ipm Scan to: Email, FTP, SMB, HDD, USB, WSD, PC	Scan Speed: 80ipm Duplex: 120ipm Scan to: Email, FTP, SMB, HDD, USB, WSD, PC
Paper Capacity	Cassette – 1,140 Sheets Multi-Purpose Tray – 100 Sheets Other - DCF 520 x2 Sheets Max Paper Capacity – 2,180 Sheets	Cassette – 1,140 Sheets Multi-Purpose Tray – 100 Sheets Other - DCF 520 x2 Sheets Max Paper Capacity – 2,180 Sheets
Document Feeder	ADF - 100 Sheets	DSDF - 100 Sheets
Connectivity	USB 2.0, Ethernet 10/100/1000 Base TX; Optional IEEE802.11 b/g/n Optional NFC	USB 2.0, Ethernet 10/100/1000 Base TX; Optional IEEE802.11 b/g/n Optional NFC
XOA	XOA Platform	XOA Platform
Compatibility	Windows XP, 2003, Vista, 2008, 32, 7, 2008, R2, Win8, 2012; Red Hat Enterprise Linux 5, 6; Fedora 11, 12, 13, 14, 15, 16, 17, 18, 19; openSUSE 11.0, 11.1, 11.2, 11.3, 11.4, 12.1, 12.2, 12.3 Ubuntu 10.04, 10.10, 11.04, 11.10, 12.04, 12.10, 13.04 SUSE Linux Enterprise Desktop 10, 11; Debian 5.0, 6.0, 7.0, 7.1; Mint 13, 14, 15; UNIX Sun Solaris 9, 10, 11; HP-UNIX 11.0, 11i v1, 11i v2, 11i v3 ; IBM AIX 5.1, 5.2, 5.3, 5.4, 6.1, 7.1; Mac OS X 10.5 - 10.9	Windows XP, 2003, Vista, 2008, 32, 7, 2008, R2, Win8, 2012; Red Hat Enterprise Linux 5, 6; Fedora 11, 12, 13, 14, 15, 16, 17, 18, 19; openSUSE 11.0, 11.1, 11.2, 11.3, 11.4, 12.1, 12.2, 12.3 Ubuntu 10.04, 10.10, 11.04, 11.10, 12.04, 12.10, 13.04 SUSE Linux Enterprise Desktop 10, 11; Debian 5.0, 6.0, 7.0, 7.1; Mint 13, 14, 15; UNIX Sun Solaris 9, 10, 11; HP-UNIX 11.0, 11i v1, 11i v2, 11i v3 ; IBM AIX 5.1, 5.2, 5.3, 5.4, 6.1, 7.1; Mac OS X 10.5 - 10.9
Monthly Duty Cycle	100,000	110,000
Weight	68.13kg	68.13kg
Dimensions (WxDxH)	566 x 640 x 829mm	566 x 640 x 829mm
Finishing Options	SL-DSK502T/SEE - Cabinet Stand; SL-PFP502D/SEE - Dual Cassette Feeder; SL-FIN501L/SEE - Inner Finisher; SL-JSP500S/SEE - Job Separator; SCX-STP000/SEE - Staple Finisher Cartridge; CLX-FAX160/XEU - Fax Kit; SL-NWE001X/SEE - Wireless/NFC Kit; SL-FIN701H/SEE; SL-FIN701B/SEE	SL-DSK502T/SEE - Cabinet Stand; SL-PFP502D/SEE - Dual Cassette Feeder; SL-FIN501L/SEE - Inner Finisher; SL-JSP500S/SEE - Job Separator; SCX-STP000/SEE - Staple Finisher Cartridge; CLX-FAX160/XEU - Fax Kit; SL-NWE001X/SEE - Wireless/NFC Kit; SL-FIN701H/SEE; SL-FIN701B/SEE
Blue Angel	Yes	Yes
Energy Star	Yes	Yes
Supplies	MLT-D708S/ELS - Black Toner, Standard Yield 25,000 MLT-D708L/ELS - Black Toner, High Yield 35,000 MLT-R708/SEE - Black Drum, Standard Yield, 20,000 MLT-W708/SEE - Waste Toner Bottle, Standard Yield 100,000	MLT-D708S/ELS - Black Toner, Standard Yield 25,000 MLT-D708L/ELS - Black Toner, High Yield 35,000 MLT-R708/SEE - Black Drum, Standard Yield, 20,000 MLT-W708/SEE - Waste Toner Bottle, Standard Yield 100,000
Standard Warranty	1 Year Warranty	1 Year Warranty

Photos are for illustrative purposes only. Options and Supplies will need to be purchased separately. Specifications could be subject to change on certain models.



A3 Mono Printers	<b>K7400GX/LX</b>	<b>K7500GX/LX</b>
Format	A3 / A4	A3 / A4
Speed	40ppm	50ppm
User Interface Type	10.1" Pivoting Color Touch-Panel LCD	10.1" Pivoting Color Touch-Panel LCD
FPOT	Less than 8.4 sec	Less than 7.5 sec
Print Resolution	1,200 x 1,200dpi	1200 x 1200dpi
Duplex	Standard	Standard
Processor	Quad Core 1.5 GHz	Quad Core 1.5 GHz
Memory	4 GB (2GB for Android OS * User Available Space for Android OS: 1GB) HDD - 320 GB * User Available Space: 279 GB	4 GB (2GB for Android OS * User Available Space for Android OS: 1GB) HDD - 320 GB * User Available Space: 279 GB
Printer Languages	PCL5C, PCL6, PostScript Level3, PDF 1.7, XPS	PCL5C, PCL6, PostScript Level3, PDF 1.7, XPS
Fax	Optional	Optional
Scan	X7400GX / X7500GX / X7600GX (Mono/Colour) 120/240 ipm X7400LX / X7500LX / X7600LX (Mono/Colour) 80/160 ipm Scan to: Email, FTP, SMB, HDD, Scan to PC	X7400GX / X7500GX / X7600GX (Mono/Colour) 120/240 ipm X7400LX / X7500LX / X7600LX (Mono/Colour) 80/160 ipm Scan to: Email, FTP, SMB, HDD, Scan to PC
Paper Capacity	Cassette - 520 Sheets x 2 Multi-Purpose Tray - 100 Sheets Max Paper Capacity - 6,140 Sheets	Cassette - 520 Sheets x 2 Multi-Purpose Tray - 100 Sheets Max Paper Capacity - 6,140 Sheets
Document Feeder	DSDF - 250 Sheets	DSDF - 250 Sheets
Connectivity	Hi-Speed USB 3.0, 2.0, Ethernet 10/100/1G Base TX, Opt IEEE 802.11b/g/n, Opt NFC	Hi-Speed USB 3.0, 2.0, Ethernet 10/100/1G Base TX, Opt IEEE 802.11b/g/n, Opt NFC
XOA	XOA Platform	XOA Platform
Compatibility	Windows XP, Vista, 2008, Win7, 2008, Win8, 2012, Win8.1, 2012; RedHat Enterprise Linux WS 5, 6; Fedora 12, 13, 14, 15, 16, 17, 18, 19, 20; OpenSuSE 11.2, 11.3, 11.4, 12.1, 12.2, 12.3, 13.1; Ubuntu 10.04, 11.04, 11.10, 12.04, 12.10, 13.04, 13.10, 14.04; SuSE Linux Enterprise Desktop 10, 11; Debian 6, 7; Mint 13, 14, 15, 16; Mac OS X 10.6 ~ 10.10	Windows XP, Vista, 2008, Win7, 2008, Win8, 2012, Win8.1, 2012; RedHat Enterprise Linux WS 5, 6; Fedora 12, 13, 14, 15, 16, 17, 18, 19, 20; OpenSuSE 11.2, 11.3, 11.4, 12.1, 12.2, 12.3, 13.1; Ubuntu 10.04, 11.04, 11.10, 12.04, 12.10, 13.04, 13.10, 14.04; SuSE Linux Enterprise Desktop 10, 11; Debian 6, 7; Mint 13, 14, 15, 16; Mac OS X 10.6 ~ 10.10
Monthly Duty Cycle	200,000	250,000
Weight	122kg	122kg
Dimensions (WxDxH)	585 x 670 x 1188.4mm	585 x 670 x 1188.4mm
Finishing Options	SL-DSK501T/SEE - Cabinet Stand; SL-PFP501D/SEE - Dual Cassette Feeder; SL-HCF501B/SEE - High Capacity Feeder Bottom; SL-HCF501S/SEE - High Capacity Feeder Side; SL-FIN701B/SEE - Booklet Finisher; SL-FIN701H/SEE - High Volume Finisher; SL-FIN502L/SEE - Inner Finisher; SL-HPU501T/SEE - 2/3 hole punch kit for Inner Finisher SL-HPU501F/SEE - 2/4 hole punch kit for Inner Finisher SL-HPU701T/RND - 2/3 hole punch kit for Booklet Finisher; SL-HPU701F/SEE - 2/4 hole punch kit for Booklet Finisher; SCX-STP000/SEE - Staples for Inner Finisher; SL-STP000/SEE - High Volume Staples Cartridge; SL-JST501S/SEE - Job Separator; CLX-FAX160/XEU - Single Fax Kit; SL-NWA001N/SEE - Additional Network Kit; SL-NWE001X/SEE - Wireless Network Kit; SL-NWE002X/SEE - NFC Kit; CLX-KIT10F/SEE - FDI Kit; SL-WKT101/SEE - BYOD Table; CLX-WKT001/SEE - Working Table; SL-CLK501/SEE - Cassette Locking Kit; SL-DHK511C/SEE - Dehumidifying Heater Kit for HCF Side; SL-DHK512C/SEE - Dehumidifying Heater Kit for HCF Side	SL-DSK501T/SEE - Cabinet Stand; SL-PFP501D/SEE - Dual Cassette Feeder; SL-HCF501B/SEE - High Capacity Feeder Bottom; SL-HCF501S/SEE - High Capacity Feeder Side; SL-FIN701B/SEE - Booklet Finisher; SL-FIN701H/SEE - High Volume Finisher; SL-FIN502L/SEE - Inner Finisher; SL-HPU501T/SEE - 2/3 hole punch kit for Inner Finisher SL-HPU501F/SEE - 2/4 hole punch kit for Inner Finisher SL-HPU701T/RND - 2/3 hole punch kit for Booklet Finisher; SL-HPU701F/SEE - 2/4 hole punch kit for Booklet Finisher; SCX-STP000/SEE - Staples for Inner Finisher; SL-STP000/SEE - High Volume Staples Cartridge; SL-JST501S/SEE - Job Separator; CLX-FAX160/XEU - Single Fax Kit; SL-FAX2501/XEU - Dual Fax Kit; SL-NWA001N/SEE - Additional Network Kit; SL-NWE001X/SEE - Wireless Network Kit; SL-NWE002X/SEE - NFC Kit; CLX-KIT10F/SEE - FDI Kit; SL-WKT101/SEE - BYOD Table; CLX-WKT001/SEE - Working Table; SL-CLK501/SEE - Cassette Locking Kit; SL-DHK511C/SEE - Dehumidifying Heater Kit for HCF Side; SL-DHK512C/SEE - Dehumidifying Heater Kit for HCF Side
Blue Angel	Yes	Yes
Energy Star	Yes	Yes
Supplies	MLT-K706S/ELS- Black Toner, Standard Yield 45,000 MLT-R706/SEE - Black Drum, Standard Yield, 450,000 MLT-W706/SEE - Waste Toner Bottle, Standard Yield 300,000	MLT-K706S/ELS- Black Toner, Standard Yield 45,000 MLT-R706/SEE - Black Drum, Standard Yield, 450,000 MLT-W706/SEE - Waste Toner Bottle, Standard Yield 300,000
Standard Warranty	1 Year Warranty	1 Year Warranty

Photos are for illustrative purposes only. Options and Supplies will need to be purchased separately. Specifications could be subject to change on certain models.

A3 Mono Printers	<b>K7600GX</b>	<b>K7600LX</b>	A3 Mono Printers
Format	A3 / A4	A3 / A4	Format
Speed	60ppm	60ppm	Speed
User Interface Type	10.1" Pivoting Color Touch-Panel LCD	10.1" Pivoting Color Touch-Panel LCD	User Interface Type
FPOT	Less than 6.9 sec	Less than 7 sec	FPOT
Print Resolution	1200 x 1200dpi	1,200 x 1,200 dpi full-speed	Print Resolution
Duplex	Standard	Standard	Duplex
Processor	Quad Core 1.5 GHz	Quad Core 1.5 GHz	Processor
Memory	4 GB (2GB for Android OS * User Available Space for Android OS: 1GB) HDD - 320 GB * User Available Space: 279 GB	4 GB (2GB for Android OS * User Available Space for Android OS: 1GB) HDD - 320 GB * User Available Space: 279 GB	Memory
Printer Languages	PCL5C, PCL6(XL), PostScript Level 3, PDF V1.7	PCL5, PCL6(XL), PostScript Level 3, PDF V1.7	Printer Languages
Fax	Optional	Optional	Fax
Scan	X7400GX / X7500GX / X7600GX (Mono/Colour) 120/240 ipm X7400LX / X7500LX / X7600LX (Mono/Colour) 80/160 ipm Scan to: Email, FTP, SMB, HDD, Scan to PC	X7400GX / X7500GX / X7600GX (Mono/Colour) 120/240 ipm X7400LX / X7500LX / X7600LX (Mono/Colour) 80/160 ipm Scan to: Email, FTP, SMB, HDD, Scan to PC	Scan
Paper Capacity	Cassette - 1,140 Sheets Multi-Purpose Tray - 100 Sheets Other - DCF 520 x 2 Sheets Max Paper Capacity - 6,140 Sheets	Cassette - 1,140 Sheets Multi-Purpose Tray - 100 Sheets Other - DCF 520 x 2 Sheets Max Paper Capacity - 6,140 Sheets	Paper Capacity
Document Feeder	DSDF - 250 Sheets	DSDF - 100 Sheets	Document Feeder
Connectivity	Hi-Speed USB 3.0, 2.0, Ethernet 10/100/1G Base TX, Opt IEEE 802.11b/g/n, Opt NFC	Hi-Speed USB 3.0, 2.0, Ethernet 10/100/1G Base TX, Opt IEEE 802.11b/g/n, Opt NFC	Connectivity
XOA	XOA Platform	XOA Platform	XOA
Compatibility	Windows XP, Vista, 2008, Win7, 2008, Win8, 2012, Win8.1, 2012; RedHat Enterprise Linux WS 5, 6; Fedora 12, 13, 14, 15, 16, 17, 18, 19, 20; OpenSuSE 11.2, 11.3, 11.4, 12.1, 12.2, 12.3, 13.1; Ubuntu 10.04, 11.04, 11.10, 12.04, 12.10, 13.04, 13.10, 14.04; SuSE Linux Enterprise Desktop 10, 11; Debian 6, 7; Mint 13, 14, 15, 16; Mac OS X 10.6 ~ 10.10	Windows XP, Vista, 2008, Win7, 2008, Win8, 2012, Win8.1, 2012; RedHat Enterprise Linux WS 5, 6; Fedora 12, 13, 14, 15, 16, 17, 18, 19, 20; OpenSuSE 11.2, 11.3, 11.4, 12.1, 12.2, 12.3, 13.1; Ubuntu 10.04, 11.04, 11.10, 12.04, 12.10, 13.04, 13.10, 14.04; SuSE Linux Enterprise Desktop 10, 11; Debian 6, 7; Mint 13, 14, 15, 16; Mac OS X 10.6 ~ 10.10	Compatibility
Monthly Duty Cycle	300,000	350,000	Monthly Duty Cycle
Weight	122kg	84.3 kg	Weight
Dimensions (WxDxH)	585 x 670 x 1188.4mm	585 x 670 x 883.7mm	Dimensions (WxDxH)
Finishing Options	SL-DSK501T/SEE - Cabinet Stand; SL-PFP501D/SEE - Dual Cassette Feeder; SL-HCF501B/SEE - High Capacity Feeder Bottom; SL-HCF501S/SEE - High Capacity Feeder Side; SL-FIN701B/SEE - Booklet Finisher; SL-FIN701H/SEE - High Volume Finisher; SL-FIN502L/SEE - Inner Finisher; SL-HPU501T/SEE - 2/3 hole punch kit for Inner Finisher SL-HPU501F/SEE - 2/4 hole punch kit for Inner Finisher SL-HPU701T/RND - 2/3 hole punch kit for Booklet Finisher; SL-HPU701F/SEE - 2/4 hole punch kit for Booklet Finisher; SCX-STP000/SEE - Staples for Inner Finisher; SL-STP000/SEE - High Volume Staples Cartridge; SL-JST501S/SEE - Job Separator; CLX-FAX160/XEU - Single Fax Kit; SL-FAX2501/XEU - Dual Fax Kit; SL-NWA001N/SEE - Additional Network Kit; SL-NWE001X/SEE - Wireless Network Kit; SL-NWE002X/SEE - NFC Kit; CLX-KIT10F/SEE - FDI Kit; SL-WKT101/SEE - BYOD Table; CLX-WKT001/SEE - Working Table; SL-CLK501/SEE - Cassette Locking Kit; SL-DHK511C/SEE - Dehumidifying Heater Kit for HCF Side; SL-DHK512C/SEE - Dehumidifying Heater Kit for HCF Side	SL-DSK501T/SEE - Cabinet Stand; SL-PFP501D/SEE - Dual Cassette Feeder; SL-HCF501B/SEE - High Capacity Feeder Bottom; SL-HCF501S/SEE - High Capacity Feeder Side; SL-FIN701B/SEE - Booklet Finisher; SL-FIN701H/SEE - High Volume Finisher; SL-FIN502L/SEE - Inner Finisher; SL-HPU501T/SEE - 2/3 hole punch kit for Inner Finisher SL-HPU501F/SEE - 2/4 hole punch kit for Inner Finisher SL-HPU701T/RND - 2/3 hole punch kit for Booklet Finisher; SL-HPU701F/SEE - 2/4 hole punch kit for Booklet Finisher; SCX-STP000/SEE - Staples for Inner Finisher; SL-STP000/SEE - High Volume Staples Cartridge; SL-JST501S/SEE - Job Separator; CLX-FAX160/XEU - Single Fax Kit; SL-FAX2501/XEU - Dual Fax Kit; SL-NWA001N/SEE - Additional Network Kit; SL-NWE001X/SEE - Wireless Network Kit; SL-NWE002X/SEE - NFC Kit; CLX-KIT10F/SEE - FDI Kit; SL-WKT101/SEE - BYOD Table; CLX-WKT001/SEE - Working Table; SL-CLK501/SEE - Cassette Locking Kit; SL-DHK511C/SEE - Dehumidifying Heater Kit for HCF Side; SL-DHK512C/SEE - Dehumidifying Heater Kit for HCF Side	Finishing Options
Blue Angel	Yes	Yes	Blue Angel
Energy Star	Yes	Yes	Energy Star
Supplies	MLT-K706S/ELS- Black Toner, Standard Yield 45,000 MLT-R706/SEE - Black Drum, Standard Yield, 450,000 MLT-W706/SEE - Waste Toner Bottle, Standard Yield 300,000	MLT-K706S/ELS- Black Toner, Standard Yield 45,000 MLT-R706/SEE - Black Drum, Standard Yield, 450,000 MLT-W706/SEE - Waste Toner Bottle, Standard Yield 300,000	Supplies
Standard Warranty	1 Year Warranty	1 Year Warranty	Standard Warranty

# Printing Solutions

Super Smart Super Simple.

Samsung is the world's second largest laser printer manufacturer. For more than 20 years, we have been developing award winning laser printers and MFPs that businesses across the globe depend on for the smooth running of their day-to-day operations.

Today, our printer range is stronger than ever. In addition to the widest range of colour and mono A4 printers and MFPs, we have an impressive range of A3 devices and business print solutions that allow us to meet our customers' document processing and output needs in their entirety.

Office print has a higher profile than ever. Awareness of its true costs, as well as its potential to transform business efficiency, have propelled it to the top of the corporate agenda. Sometimes this is the result of simple economic necessity and a need to eliminate unnecessary costs. Other times, it is driven by a desire to streamline processes. Whatever the motivation, you will only succeed if you have the right tools.

At Samsung, we make it easy for our customers by supplying our network devices with all the solutions you need to manage, monitor and control print output.



## Fleet Management

Many of the pitfalls of uncontrolled print environments can be overcome with simple device management. Alerts that tell you when a printer is running low on toner; administration tools that make it easy to apply two-sided printing across all devices; reports that track users' printing habits. All can have a big impact on productivity and cost control.

## Output Management

These solutions enable companies to reliably, efficiently and cost-effectively manage high-volume business document distribution. Companies can deliver business-critical information from virtually any source to any destination across your distributed enterprise – everything from printers and faxes to e-mail, web or file destinations. Scan, convert, extract data and distribute documents directly and securely.

## Managed Print Services

Samsung works with managed print service partners to deploy strategies focused on your business – from Small to Medium Businesses to Large Enterprises – that bring control over documents' hidden costs in an organisation without sacrificing quality or performance.

## Mobile and Cloud

Nowadays, we all need the freedom to send print information wherever we are. That's why our easy Wi-Fi connectivity technology proves so useful to modern workplaces. We can make sure everything is connected as efficiently as possible.

## Utilities

Samsung's Printing Utilities are smart applications designed with our customers in mind. User specific tools such as Plug-ins, device software features, or print drivers for enterprise applications (SAP, Oracle), host systems (AS400, etc.), and operating systems (Unix, NetWare, and Microsoft), help to save time and money.

# Solutions Compatibility Matrix

Samsung Print Solutions put printing at the heart of your business. Our easy-to-use software and features deliver power and intelligence to your printing devices, putting you in control of your printers and MFPs. Samsung Print Solutions provide the security, control and paperless processes demanded by businesses. They also provide a powerful platform for integrating leading third-party solutions.

SyncThru™ Admin 6	Yes 1: Support Monitoring, Notify, Driver management, device map. Yes 2: Support Monitoring, Notify, Driver management, device map, Job accounting (Basically 150 users). Yes 2 (20) It means JAC possible 20 users). Yes 3: Support Monitoring, Notify, Driver management, device map, Job accounting (1200 users), file storage, Fleet configuration.
SmarThru™ Workflow 3	Yes 1: Need Check F/W Version and upgrade F/W (See the manual) .
Equitrac	Yes 4: Compatible with external Page Counter.
SafeCom	Yes 5: Compatible with external controller and USB card reader. Yes 6: Compatible with external Front-End and controller. Yes 7: Compatible via QR code release on mobile device.
Papercut	Yes 8: Compatible with USB card reader and Fast Release terminal. Yes 9: Compatible with USB Card reader and cPad interface. Yes 10: Compatible via QR code release on mobile device.